



INDEX A-Z



	p. 7
ALLERDEP® ORAL SOLUTION	p. 7
ALLERDEP® NASAL SPRAY	p. 8
ANSIODEP® CAPSULES	р. 8
ANSIODEP® DROPS	
ANSIODEP® JUNIOR DROPS	p. 9
ANSIODEP® ORAL SOLUTION	p. 10
BETULDEP® SINGLE-DOSE BOTTLES	p. 10
BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 11
CALDEP TABLETS	p. 12
CANDIDEP® INTIMATE CLEANSER	p. 12
CANDIDEP® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	
CANDIDEP® VAGINAL SUPPOSITORIES	p. 13
CISTIDEP® C-MAX TABLETS	p. 14
CISTIDEP® D-MAX SACHETS	
CISTIDEP® JUNIOR ORAL SOLUTION	p. 16
COGNIDEP® SACHETS	p. 16
COLIDEP® JUNIOR DROPS	p. 17
COLLAGENDEP® BEAUTY COCKTAIL DRINKABLE STICKS	
COLLAGENDEP® CELL RECHARGE DRINK CAPS	p. 18
COLLAGENDEP® DREN STARTER KIT	p. 18
COLLAGENDEP® DREN RECHARGE DRINK CAPS	
COLLAGENDEP® INTENSE-FILLER CREAM	р. 19
COLLAGENDEP® OSMO CREAM	p. 20
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	
COLLAGENDEP® SHAPE RESET SACHETS	p. 21
COLLAGENDEP® SUN TABLETS	p. 21
D-DEP 10000 CAPSULES	
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	p. 22
ENTERO MIRTO® SACHETS	p. 23
ENTERO MIRTO® SINGLE-DOSE BOTTLES	p. 23
FERRODEP® CAPSULES	
FERRODEP® ORAL SOLUTION	
FRUTDEP® D3 JUNIOR DROPS	
FRUTDEP® IMMUNO SINGLE-DOSE BOTTLES	р. 25
FRUTDEP® MIX DROPS	
GASDEP® ACTIVE SACHETS	р. 26
GASDEP® CAPSULES	р. 27
GASTRODEP® ACT CHEWABLE TABLETS	p. 27

GASTRODEP® JUNIOR SINGLE-DOSE BOTTLES + DROPPER	D.	21
GASTRODEP® OROSOLUBLE STICKS	. p.	21
GLICOPED® STICKS		
GLUCO 100 FORTE® CAPSULES		
GOLAPROP® CHEWABLE TABLETS		
GOLAPROP® THROAT SPRAY		
HAMADEP® SINGLE-DOSE BOTTLES		
INFLUPROP® NASAL SPRAY		
INFLUPROP® C OROSOLUBLE STICKS		
LACTODEP® CAPSULES		
LACTODEP® JUNIOR SINGLE-DOSE BOTTLES		
LAXODEP® CAPSULES		
LAXODEP® ORAL SOLUTION	. p.	3
LOWDEP® TABLETS		
MELACRON® TABLETS		
MELACRON® JUNIOR DROPS		
MELACRON® ORAL SPRAY		
MINERALDEP® SACHETS		
NAUSOLVIT® DROPS		
NAUSOLVIT® JUNIOR DROPS		
NECENIOL® PLUS SACHETS		
NECENIOL® PLUS TABLETS		
NETTARDEP® JUNIOR SINGLE-DOSE BOTTLES		
NITIDEP® TABLETS+SOFTGELS		
OSSIDREN® TABLETS		
OSTEOTEND® COMPLEX SACHETS		
POLIDEP® DRINKABLE STICKS		
PROSTADEP® CAPSULES		
PROSTADEP® FLOGO SOFTGELS		
PROSTADEP® PLUS SOFTGELS		
PYRODEP® CHEWABLE TABLETS		
REUMADEP® CAPSULES		
REUMADEP® GEL		
ROYALDEP® DRINKABLE STICKS		
THIVYBRON ORAL SOLUTION		
THIVYBRON JUNIOR ORAL SOLUTION	. p.	4!
TUSSODEP® AEROSOL		
TYNDAFLOR® VAGINAL DOUCHE SINGLE-DOSE BOTTLES		
TYNDAFLOR® VAGINAL SUPPOSITORIES		
UNCADEP® AEROSOL		
HINOADED® (00 OLOHETO	. p.	

UNCADEP® FORTE LATTOFERRINA CAPSULES	p. 48
UNCADEP® IMMUNO CAPSULES	p. 48
UNCADEP® ORAL SOLUTION	p. 49
UNCADEP® SED DRINKABLE STICKS	p. 49
VESTANOL® CAPSULES	p. 50
VITADEP® TABLETS	p. 50
VITADEP® JUNIOR ORAL SOLUTION	p. 51
VITADEP® OSTEO STICKS	
ZETA ARTRO-CUR® TABLETS	p. 52
ZETA ARTRO-CUR® FLEX DRINKABLE STICKS	p. 52
ZETA COLEST® CAPSULES	p. 53
ZETA DREN® TABLETS	p. 53
ZETA TONIC® SINGLE-DOSE BOTTLES	p. 54
ZETA VITAL® SINGLE-DOSE BOTTLES	p. 54



ALLERGOLOGY

ALLERDEP® EYE DROPS	p. 7
ALLERDEP® ORAL SOLUTION	p. 7
ALLERDEP® NASAL SPRAY	p. 8
INFLUPROP® NASAL SPRAY	p. 31
POLIDED® DRINKARLE STICKS	n /1

ANDROLOGY, REPRODUCTIVE MEDICINE

PROSTADEP® CAPSULES	p.	41
PROSTADEP® PLUS SOFTGELS	n	43

CARDIOLOGY, CARDIO-VASCULAR REHABILITATION MEDICINE

p. 9	9
p. 1	10
p. 2	24
p. 2	28
p. 3	35
p. 3	36
p. 3	36
p. 4	41
p. 5	53
p. 1p. 2p. 2p. 3p. 3	10 24 28 35 36 36 41

DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® BEAUTY COCKTAIL DRINKABLE STICKS	. p. 17
COLLAGENDEP® CELL RECHARGE DRINK CAPS	. p. 18
COLLAGENDEP® DREN RECHARGE DRINK CAPS	. p. 19
COLLAGENDEP® INTENSE-FILLER CREAM	. p. 19
COLLAGENDEP® OSMO CREAM	. p. 20
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	. p. 20
COLLAGENDEP® SHAPE RESET SACHETS	. p. 21
COLLAGENDEP® SUN TABLETS	. p. 21
HAMADEP® SINGLE-DOSE BOTTLES	. p. 31
NECENIOL® PLUS SACHETS	. p. 38
NECENIOL® PLUS TABLETS	. p. 38
POLIDEP® DRINKABLE STICKS	p. 41
ZETA DREN® TABLETS	. p. 53

DIABETOLOGY, ENDOCRINOLOGY

BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 11
CALDEP TABLETS	p. 12
D-DEP 10000 CAPSULES	p. 22
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	p. 22
GLUCO 100 FORTE® CAPSULES	p. 29
NECENIOL® PLUS SACHETS	p. 38
NECENIOL® PLUS TABLETS	p. 38

DIETOLOGY

BETULDEP® SINGLE-DOSE BOTTLES	p. 10
BUTIDEP® CAPSULES	
	p. 11
COLLAGENDEP® CELL RECHARGE DRINK CAPS	p. 18
COLLAGENDEP® DREN STARTER KIT	p. 18
COLLAGENDEP® DREN RECHARGE DRINK CAPS	p. 19
COLLAGENDEP® SHAPE RESET SACHETS	p. 21
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	p. 24
GASDEP® ACTIVE SACHETS	p. 26
GASDEP® CAPSULES	p. 27
GASTRODEP® ACT CHEWABLE TABLETS	p. 27
GASTRODEP® OROSOLUBLE STICKS	p. 28
GLICOPED® STICKS	p. 29
	p. 29
HAMADEP® SINGLE-DOSE BOTTLES	p. 31
LACTODEP® CAPSULES	p. 32
LAXODEP® CAPSULES	
LAXODEP® ORAL SOLUTION	p. 34
LOWDEP® TABLETS	p. 34
OSSIDREN® TABLETS	p. 40
POLIDEP® DRINKABLE STICKS	p. 41
PYRODEP® CHEWABLE TABLETS	p. 43
ROYALDEP® DRINKABLE STICKS	p. 44
ZETA COLEST® CAPSULES	p. 53
ZETA DREN® TABLETS	p. 53
ZETA TONIC® SINGLE-DOSE BOTTLES	p. 54

GASTRO-ENTEROLOGY, PROCTOLOGY

ANSIODEP® CAPSULES	p. 8
ANSIODEP® DROPS	р. 9
ANSIODEP® ORAL SOLUTION	
BUTIDEP® CAPSULES	
BUTIDEP® CAPSULES	p. 11
CALDEP TABLETS	
ENTERO MIRTO® SACHETS	p. 23
ENTERO MIRTO® SINGLE-DOSE BOTTLES	p. 23
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	
GASDEP® ACTIVE SACHETS	p. 26
GASDEP® CAPSULES	p. 27
GASTRODEP® ACT CHEWABLE TABLETS	p. 27
GASTRODEP® OROSOLUBLE STICKS	p. 28
LAXODEP® CAPSULES	p. 33
LAXODEP® ORAL SOLUTION	p. 34
MINERALDEP® SACHETS	
NAUSOLVIT® DROPS	p. 37
NECENIOL® PLUS SACHETS	
NECENIOL® PLUS TABLETS	
POLIDEP® DRINKABLE STICKS	p. 41
PYRODEP® CHEWABLE TABLETS	p. 43
UNCADEP® SED DRINKABLE STICKS	

GENERAL SURGERY

OSSIDREN® TABLETS	p. 40
POLIDEP® DRINKABLE STICKS	
ROYALDEP® DRINKABLE STICKS	p. 44
VITADEP® TABLETS	p. 50
ZETA TONIC® SINGLE-DOSE BOTTLES	n 5/



GERIATRICS

ANSIODEP® CAPSULES	p. 8
ANSIODEP® DROPS	р. 9
ANSIODEP® ORAL SOLUTION	
COGNIDEP® SACHETS	
D-DEP 10000 CAPSULES	p. 22
D-DEP 5000 CAPSULES	
D-DEP 1000 CAPSULES	
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	p. 24
GASTRODEP® ACT CHEWABLE TABLETS	p. 27
LAXODEP® CAPSULES	p. 33
LAXODEP® ORAL SOLUTION	p. 34
MELACRON® TABLETS	
MELACRON® ORAL SPRAY	
MINERALDEP® SACHETS	p. 36
NECENIOL® PLUS SACHETS	p. 38
NECENIOL® PLUS TABLETS	
OSSIDREN® TABLETS	p. 40
POLIDEP® DRINKABLE STICKS	p. 41
ROYALDEP® DRINKABLE STICKS	p. 44
VITADEP® TABLETS	p. 50
TETL TOURS OFFICE BOOK BOTTLES	p. 54
ZETA VITAL® SINGLE-DOSE BOTTLES	p. 54

GYNECOLOGY, SENOLOGY

CALDEP TABLETS	p. 12
CANDIDEP® INTIMATE CLEANSER	p. 12
CANDIDEP® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	р. 13
CANDIDEP® VAGINAL SUPPOSITORIES	р. 13
CISTIDEP® C-MAX TABLETS	p. 14
CISTIDEP® D-MAX SACHETS	р. 15
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 20
D-DEP 10000 CAPSULES	p. 22
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	
NAUSOLVIT® DROPS	р. 37
PYRODEP® CHEWABLE TABLETS	p. 43
TYNDAFLOR® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	p. 46
TYNDAFLOR® VAGINAL SUPPOSITORIES	p. 46

NEONATOLOGY

COLIDEP® JUNIOR DROPS	p. 17
FRUTDEP® D3 JUNIOR DROPS	p. 25
FRUTDEP® MIX DROPS	p. 26
LACTODEP® JUNIOR SINGLE-DOSE BOTTLES	p. 33
MELACRON® HINIOR DROPS	n 35

ONCOLOGY

BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 11
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 20
COLLAGENDEP® SUN TABLETS	p. 21
FERRODEP® CAPSULES	p. 24
NAUSOLVIT® DROPS	p. 37
NAUSOLVIT® JUNIOR DROPS	p. 37
NECENIOL® PLUS SACHETS	p. 38
NECENIOL® PLUS TABLETS	p. 38
POLIDEP® DRINKABLE STICKS	p. 41
ROYALDEP® DRINKABLE STICKS	p. 44

ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY

CALDEP TABLETS	p. 12
D-DEP 10000 CAPSULES	p. 22
D-DEP 5000 CAPSULES	- 00
D-DEP 1000 CAPSULES	p. 22
MINERALDEP® SACHETS	p. 36
NECENIOL® PLUS SACHETS	p. 38
NECENIOL® DI UC TADI ETO	p. 38
OSTEOTEND® COMPLEX SACHETS	p. 40
POLIDEP® DRINKABLE STICKS	p. 41
REUMADEP® CAPSULES	p. 44
DELLANDED® OF	p. 44
VITADEP® TABLETS	p. 50
VITADEP® OSTEO STICKS	p. 51
ZETA ARTRO-CUR® TABLETS	p. 52
ZETA ARTRO-CUR® FLEX DRINKABLE STICKS	p. 52

OPHTHALMOLOGY

ALLERDEP® EYE DROPS	р. 7
NITIDEP® TABLETS+SOFTGELS	p. 39
OSSIDREN® TABLETS	p. 40
ZETA TONIC® SINGLE-DOSE BOTTLES	p. 54

OTORHINO-LARYNGOLOGY

ALLERDEP® EYE DRUPS	p. 7
ALLERDEP® ORAL SOLUTION	p. 7
ALLERDEP® NASAL SPRAY	
GASTRODEP® ACT CHEWABLE TABLETS	p. 27
GOLAPROP® CHEWABLE TABLETS	p. 30
GOLAPROP® THROAT SPRAY	p. 30
INFLUPROP® NASAL SPRAY	p. 31
THIVYBRON ORAL SOLUTION	p. 45
THIVYBRON JUNIOR ORAL SOLUTION	p. 45
TUSSODEP® AEROSOL	p. 45
UNCADEP® AEROSOL	p. 47
UNCADEP® 600 SACHETS	
UNCADEP® FORTE LATTOFERRINA CAPSULES	p. 48
UNCADEP® IMMUNO CAPSULES	p. 48
UNCADEP® ORAL SOLUTION	p. 49
UNCADEP® SED DRINKABLE STICKS	p. 49
VESTANOL® CAPSULES	

PAIN THERAPY

MELACRON® TABLETS	p. 35
MELACRON® ORAL SPRAY	
NECENIOL® PLUS SACHETS	p. 38
NECENIOL® PLUS TABLETS	n 39



PEDIATRICS, **CHILD NEURO-PSYCHIATRY**

ALLERDEP® EYE DROPS	p. 7
ALLERDEP® ORAL SOLUTION	р. 7
ALLERDEP® NASAL SPRAY	p. 8
ANSIODEP® JUNIOR DROPS	р. 9
ANSIODEP® ORAL SOLUTION	p. 10
CISTIDEP® JUNIOR ORAL SOLUTION	р. 16
COLIDEP® JUNIOR DROPS	p. 17
FERRODEP® ORAL SOLUTION	p. 24
FRUTDEP® D3 JUNIOR DROPS	p. 25
FRUTDEP® IMMUNO SINGLE-DOSE BOTTLES	р. 25
FRUTDEP® MIX DROPS	р. 26
GASTRODEP® JUNIOR SINGLE-DOSE BOTTLES +	
DROPPER	
GLICOPED® STICKS	p. 29
GOLAPROP® THROAT SPRAY	p. 30
INFLUPROP® NASAL SPRAY	p. 31
LACTODEP® JUNIOR SINGLE-DOSE BOTTLES	р. 33
LAXODEP® ORAL SOLUTION	р. 34
MELACRON® JUNIOR DROPS	р. 35
MELACRON® ORAL SPRAY	р. 36
NAUSOLVIT® JUNIOR DROPS	p. 37
NETTARDEP® JUNIOR SINGLE-DOSE BOTTLES	р. 39
UNCADEP® ORAL SOLUTION	p. 49
VITADEP® JUNIOR ORAL SOLUTION	
ZETA VITAL® SINGLE-DOSE BOTTLES	

PNEUMOLOGY

p. 22
p. 22
p. 22
p. 32
р. 45
р. 47
р. 47
p. 48
p.48
р. 49
р. 49

PROBIOTICS

ENTERO MIRTO® SACHETS	p. 23
ENTERO MIRTO® SINGLE-DOSE BOTTLES	p. 23
LACTODEP® CAPSULES	p. 32
LACTODEP® JUNIOR SINGLE-DOSE BOTTLES	n 33

PSYCHIATRY, NEUROLOGY, **PSYCHO-GERIATRICS**

ANSIODEP® CAPSULES p. 8	
ANSIODEP® DROPS p. 9	
ANSIODEP® JUNIOR DROPS p. 9	
ANSIODEP® ORAL SOLUTION p. 10	
COGNIDEP® SACHETS p. 16	
D-DEP 10000 CAPSULES p. 22	
D-DEP 5000 CAPSULES p. 22	
D-DEP 1000 CAPSULES p. 22	
LOWDEP® TABLETS p. 34	
MELACRON® TABLETS p. 35	
MELACRON® JUNIOR DROPS p. 35	
MELACRON® ORAL SPRAY p. 36	
NECENIOL® PLUS SACHETS p. 38	
NECENIOL® PLUS TABLETS p. 38	
ROYALDEP® DRINKABLE STICKS p. 44	
VESTANOL® CAPSULES p. 50	

SPORTS MEDICINE

D-DEP 10000 CAPSULES	p. 2
D-DEP 5000 CAPSULES	p. 2
D-DEP 1000 CAPSULES	p. 2
MINERALDEP® SACHETS	p. 3
OSSIDREN® TABLETS	p. 4
OSTEOTEND® COMPLEX SACHETS	p. 4
POLIDEP® DRINKABLE STICKS	p. 4
REUMADEP® GEL	p. 4
VITADEP® TABLETS	p. 5
VITADEP® OSTEO STICKS	р. 5
ZETA ARTRO-CUR® FLEX DRINKABLE STICKS	p. 5

UROLOGY, NEPHROLOGY

BETULDEP® SINGLE-DOSE BOTTLES	p. 10
CALDEP TABLETS	p. 12
CISTIDEP® C-MAX TABLETS	p. 14
CISTIDEP® D-MAX SACHETS	p. 15
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 20
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	p. 24
PROSTADEP® CAPSULES	p. 41
PROSTADEP® PLUS SOFTGELS	p. 43

VASCULAR MEDICINE, VASCULAR SURGERY, PHLEBOLOGY, **ANGIOLOGY**

COGNIDEP® SACHETS	p.	16
HAMADED® OLNOLE DOOF BOTTLEO		31

NOTE

All such products are potentially prescribed by GPs.







ALLERDEP® EYE DROPS



10 single-dose vials | 0.5 ml CLASS II MD C € 0426



INDICATIONS

Recommended to relieve and contrast eye redness and dryness from external agents or excessive visual stress. It is also indicated for frequent and prolonged use and in association with contact lenses.

BASED ON

Sodium hyaluronate, Perilla d.e. 2.5% polyphenols

USE

Children from 3Y and adults: 2-3 drops per eye, 2-3 times a day or according to medical advice.

In case of use in children under the age of 3, consult your ophthalmologist before administration.

PROPERTIES

- It is a highly biocompatible hypo-osmolal sterile solution (~280 m0sm/kg) that eases the restoration of the tear film. The low viscosity of the product improves eye comfort.
- It helps the removal of particles that create eye discomfort.
- It can be used with contact lenses: it makes it easier to fit them if instilled just before wearing them.
- In practical single-dose 0.5 ml vials, resealable.
- Duration after vial opening: 12 hours.
- · Physiological pH.
- Also suitable for frequent and prolonged use, even for children.
- Allergen and preservative free.

THERAPEUTIC AREAS: OPHTHALMOLOGY • ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS

ALLERDEP® ORAL SOLUTION



150 ml Ministry of Health code no. 15223



INDICATIONS

Recommended to prevent and treat allergic symptoms, attenuating immune hyperactivity.

BASED ON

- Dry extracts: Nettle, Liquorice deglycyrrhizinated <2% Glycyrrhizic acid, Mint 4% Essential oil
- Gemmoderivatives: Blackcurrant, Dog rose, Hornbeam, Ginkgo, Black alder

USE

Children 1Y-3Y: 2.5 ml, twice a day. Children 4Y-6Y: 5 ml, twice a day. Children 7Y-12Y: 7.5 ml, twice a day. Adults: 10 ml, 3 times a day.

Therapy cycles of at least 30 days are suggested.

PROPERTIES

- Gemmoderivatives and dry extract synergic activity reduces immune hyperactivity: it inhibits histamine production and release, counteracts inflammation in all mucosal diseases or sequelae, exerts an antispasmodic and decongestant action, prevents bronchoconstriction and edema induced by allergens and stimulates the healing of injured and irritated mucosa.
- Excellent palatability: sweet flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS



ALLERDEP® NASAL SPRAY





INDICATIONS

Recommended in the treatment of allergic rhinitis, non-allergic rhinitis with eosinophilia syndrome (NARES) and non-allergic eosinophilic-mast cells rhinitis (NARESMA).

BASED ON

- · Concentrated seawater
- Dry extracts: Perilla
- Gemmoderivatives: Black alder, Blackcurrant, Dog rose
- · Manganese gluconate
- · Tincture: Pot marigold

USE

Children from 2Y: 1 nebulization per nostril, 1-2 times a day. **Adults:** 1-2 nebulizations per nostril, 3 times a day.

PROPERTIES

- Gemmoderivatives and dry extracts synergic activity guarantees an effective and rapid action: it significantly reduces nasal congestion without side effects and without creating addiction.
- It contains hypertonic seawater (~1.150 m0sm/L)*: the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Its polysaccharide component ensures comfort and relief to the irritated nose: thanks to a barrier effect, the product moisturizes and protects the nasal mucosa.
- Excellent tolerability for mucous membranes: it does not irritate. Also ideal for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization and reach deeply nasal cavities.
- Clinically tested: Macchi A., Bernardi, F. D., Peirolo, A., & Simoncini, D. (2016). Cellular Rhinitis: A Therapeutic Proposal.
 J Otolaryngol Rhinol, 2019.; Macchi A., et al., A randomized single-blind study to evaluate anti-inflammatory effectiveness of an Herbal nasal spray. The Rhinologist, 2018.
- · Allergen and propellant gas free.

THERAPEUTIC AREAS: ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS

ANSIODEP® 30 CAPSULES





Ministry of Health code no. 9660

INDICATIONS

Recommended for the treatment of anxiety symptoms.

BASED ON

Magnesium, Crataegus Phytosome® - Hawthorn 3% Vitexin 2-rhamnoside, Passionflower d.e. 3.5% total Flavonoids such as Vitexin, California poppy d.e. 0.20% Protopine, Ashwagandha d.e. 2.5% Withanolides, L-Theanine

USE

Adults: 1-2 capsules a day.


PROPERTIES

- Long-lasting effectiveness.
- It contains Crataegus Phytosome® (Hawthorn).
 Phytosome® is a patented delivery system that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- Unlike benzodiazepines, it exerts anxiolytic action without affecting mental alertness and without causing addiction.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY







^{* 3%} hypertonic solution ~ 1.026 mOsm/L



ANSIODEP® DROPS



Ministry of Health code no. 85122

INDICATIONS

Recommended for the treatment of anxiety symptoms.

Passionflower hydroglyc. e., Lemon balm hydroglyc. e., L-Theanine, California poppy d.e. 0.20% Protopine, Valerian d.e. 0.8% Valerenic acids, Lemon balm d.e. 2% Rosmarinic acid, Crataegus Phytosome® - Hawthorn 3% Vitexin 2-rhamnoside, Hawthorn d.e. 3% total Flavonoids such as Vitexin

IICE

Adults: 0.5 ml, twice a day, directly in the mouth or diluted in a spoonful of water or other beverages (5 ml).

PROPERTIES

- · Immediate action.
- It contains Crataegus Phytosome® (Hawthorn). **Phytosome**® is a patented delivery system that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- Unlike benzodiazepines, it exerts anxiolytic action without affecting mental alertness and without causing addiction.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: orange flavour.
- · Alcohol and colorant free.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY

ANSIODEP® DROPS



Ministry of Health code no. 85123

INDICATIONS

Recommended for all children, both neurotypical and neurodivergent, to help reduce agitation, restlessness, irritability, muscle tension, and generalized anxiety, even in acute cases.

BASED ON

Linden hydroglyceric e., Passionflower hydroglyceric e., Lemon balm hydroglyceric e., Linden d.e. 1% Flavonoids, Lemon balm d.e. 2% Rosmarinic acid, Passionflower d.e. 3.5% Vitexin

Children from 6M: 1 ml (2 droppers), 2 times a day, directly in the mouth or diluted in beverages or food.

PROPERTIES

- **Immediate action:** it acts on several neurotransmitter systems, both centrally and peripherally, reducing anxiety states and associated psycho-somatic symptoms.
- It induces a state of progressive relaxation, without affecting mental alertness or causing addiction or daze.
- It reduces anxious reactivity, improving the behavioral and emotional response to stressful situations that generate gastrointestinal or cardiac somatizations.
- · Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • CHILD NEURO-PSYCHIATRY



ORAL SOLUTION



Ministry of Health code no. 15233



INDICATIONS

Recommended for the treatment of anxiety symptoms.

BASED ON

Linden d.e., Chamomile d.e. 3% Apigenin, California poppy d.e. 0.2% Protopine, Griffonia d.e. 10% 5-HTP

USE

Children 1Y-3Y: 5 ml a day. Children 4Y-6Y: 7.5 ml a day. Children 7Y-12Y: 10 ml a day.

Adults: 20 ml a day.

To promote night's sleep, take it in the evening.

PROPERTIES

- · Long-lasting effectiveness.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- It stimulates the physiological release of serotonin, which leads to a regulation of mood, exerting an important antidepressant action.
- Unlike benzodiazepines, it exerts its anxiolytic action without affecting mental alertness and without causing addiction.
- Excellent palatability: orange flavour.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY • PEDIATRICS

BETULDEP®

20 SINGLE-DOSE BOTTLES



Ministry of Health code no. 12459

INDICATIONS

Recommended in case of oliquria and recurrent cystitis.

BASED ON

Black grapes SynerSHIELD™, Birch d.e. 2.5% Hyperoside, Meadowsweet d.e. 0.2% Salicylic acid, Juniper d.e., Bearberry d.e. 20% Arbutin

Adults: 1 single-dose bottle a day, pure or diluted in 500 ml of water to drink during the day. Shake well before use.


PROPERTIES

- It promotes the drainage and excretion of body fluids and the correct functionality of the urinary tract. It acts as a uricosuric and also promotes the elimination of uropathogenic agents, contributing to the prevention and treatment of cystitis.
- It contains **SynerSHIELD™ black grape** extract, obtained through an extraction process that allows to obtain a "juice" of fresh fruits, where all the active ingredients, including the most sensitive ones, are present in their original form. It is rich in polyphenols, in particular proanthocyanidins (PACs), capable of binding to uropathogenic bacteria, such as Escherichia coli, reducing their ability to adhere to the bladder wall and facilitating their elimination in the urine.
- It contains **Birch**, **Juniper** and **Bearberry** which have a diuretic and purifying effect, stimulating the production of urine characterized by the increase in the excretion of water but not salts, reducing the accumulation of body fluids. Finally, they have a uricosuric action, counteracting the formation of kidney stones.
- **Meadowsweet** contains salicylic acid which exerts a strong antiinflammatory action, useful both in cases of acute and chronic inflammation of the urinary tract, also helping to reduce the pain associated with inflammation.
- Excellent palatability: grape flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: UROLOGY- DIETOLOGY









BUTIDEP® 30+30 CAPSULES





INDICATIONS

Recommended for the promototion of reparative processes in the colon in cases of chronic inflammatory diseases such as Crohn's disease, irritable bowel syndrome, and ulcerative colitis

BASED ON

- White delayed-release DRcaps® capsule:
 Calcium butyrate
- **Blue capsule:** L-Tryptophan, L-Glutamine, Vitamin D

USE

Children from 8Y and adults: 1 white capsule and 1 blue capsule in a single daily administration, right before meals or immediately after.

The exactly daily dose must be provided by the doctor.

PROPERTIES

- The mix of ingredients in therapeutic dosages allows to actively contrast
 colon inflammation, maintain the structural and functional integrity of
 the intestinal wall and rebalance homeostasis. Therefore, it is useful in
 the management of many inflammatory bowel conditions, including
 different forms of IBS and IBD.
- Butyric Acid is able to counteract any phenomenon of intestinal permeability by avoiding the resulting immune hypereactivity. In addition, it acts as an energetic substrate for the colonocyte, promoting a better functionality, and as a substrate for the growth of intestinal flora, quickly restoring a condition of eubiosis. It is carried, in the form of calcium butyrate, inside a special capsule, the delayed-release DRcaps®, which allows its release directly into the colon, to ensure maximum effectiveness. In addition, the DRcaps® effectively mask the characteristic odor of butyric acid, making the product pleasant.
- L-Tryptophan regulates the reactivity of mucosal immune cells, counteracting inflammatory phenomena; it also positively regulates mood, being useful in all forms of colon diseases caused by nervous disorders.
- **L-Glutamine** promotes the proliferation and survival of enterocytes, regulating their barrier function in the presence of injuries and infections.
- Vitamin D modulates the immune system at enteric level, contributing to create a favourable environment for the development of a correct intestinal microflora.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • DIABETOLOGY • ONCOLOGY

BUTIDEP® 30 CAPSULES





INDICATIONS

Recommended for the dietetic management of subjects with inflammatory processes in the colon and for the recovery of correct mucous membrane function.

BASED ON

Calcium butyrate, Vitamin D

USE

Adults: 1-2 capsules, on a full stomach, or as advised by your doctor.

PROPERTIES

- The mix of ingredients in therapeutic dosages allows to actively contrast colon inflammation, maintain the structural and functional integrity of the intestinal wall and rebalance homeostasis. Therefore, it is useful in the management of many inflammatory bowel conditions, including different forms of IBS and IBD.
- Butyric Acid is able to counteract any phenomenon of intestinal permeability by avoiding the resulting immune hypereactivity. In addition, it acts as an energetic substrate for the colonocyte, promoting a better functionality, and as a substrate for the growth of intestinal flora, quickly restoring a condition of eubiosis. It is carried, in the form of calcium butyrate, inside a special capsule, DRcaps®, with delayed release, which has a direct effect on the colon, to ensure maximum effectiveness. In addition, DRcaps® effectively masks butyric acid odour, making the product pleasant.
- Vitamin D modulates the immune system at enteric level contributing to create a favourable environment for the development of a correct intestinal microflora.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIABETOLOGY • DIETOLOGY • GASTRO-ENTEROLOGY • ONCOLOGY



CALDEP 30 TABLETS



INDICATIONS

Recommended in case of prophylaxis with Vitamin D3 and calcium.

BASED ON

Calcium, Vitamin D3

Children from 8Y and adults: 1-2 tablets a day, on a full stomach.

PROPERTIES

- Calcium improves bone health by preventing osteoporosis, which mainly affects elderly and post-menopausal women.
- **Vitamin D** is essential for bone health, the proper functioning of muscles and the immune system.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: ENDOCRINOLOGY • GASTRO-ENTEROLOGY • GYNECOLOGY • NEPHROLOGY • ORTHOPEDICS

CANDIDEP® INTIMATE CLEANSER



[△]250 ml

INDICATIONS

Intimate cleanser specific for the genital mucous membranes that soothes and maintains the pH slightly acidic, protecting intimate well-being, even during the menstrual cycle.

BASED ON

Aloe vera, Chlorhexidine 0.2%, Lactic acid

USE

Adults: make daily washes with 1 dose diluted with water directly on the palm of the hand. Rinse thoroughly.

PROPERTIES

- 250 ml size.
- · Daily use.
- · Easy to rinse.
- It gives a long-lasting freshness feeling.
- Green formulation: allergen, paraben, SLS, petrolate, silicone and fragrance free.

THERAPEUTIC AREAS: GYNECOLOGY







CANDIDEP®

VAGINAL DOUCHE 5 SINGLE-DOSE BOTTLES





INDICATIONS

Recommended for the prevention and treatment of symptoms associated with vulvovaginitis of any origin, even in the presence of HPV.

BASED ON

IMMUNOBLEND — mixture of tyndallized milk ferments (Lactobacillus acidophilus HA—122, Lactobacillus casei HA—108, Lactobacillus plantarum HA—119, Streptococcus termophilus HA—110), Lactic acid

USE

- UROGENITAL INFECTIONS/INFLAMMATIONS (EVEN IN THE PRESENCE OF HPV):
- **Prevention:** 1 vaginal douche a day, preferably in the evening before bedtime, for 10 days, starting 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal douche a day, preferably in the evening before bedtime, for 10 days.

PROPERTIES

- Based on tyndallized milk ferments, prebiotics selected for their ability to influence the vaginal ecosystem and strengthen the immune system and other functional ingredients with soothing and antioxidant action.
- Single-use non-sterile solution for intimate hygiene.
- In convenient single-use bottles with a practical, removable, rotating and tilting cannula, which avoids accidental trauma and dispenses the gynecological solution uniformly.
- Formulated with: chlorhexidine 0.2%.
- · It does not contain parabens and allergens.
- pH of the solution: 4.3.
- Clinically tested: Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024). Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.
- Excellent compliance for the patient.

THERAPEUTIC AREAS: GYNECOLOGY

CANDIDEP®

10 VAGINAL SUPPOSITORIES





INDICATIONS

Recommended for the prevention and treatment of symptoms associated with vulvovaginitis of any origin, even in the presence of HPV.

BASED ON

IMMUNOBLEND - mixture of tyndallized milk ferments (Lactobacillus acidophilus HA–122, Lactobacillus casei HA–108, Lactobacillus plantarum HA–119, Streptococcus termophilus HA-110), Lactic acid, Guar gum, Pot marigold

USE

UROGENITAL INFECTIONS/INFLAMMATIONS

- Prevention: 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days, starting 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days.

• INFECTIONS/INFLAMMATIONS (EVEN IN THE PRESENCE OF HPV):

- **Prevention:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days, from 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 30 days.

• FOR THE MAINTENANCE OF VAGINAL EUBIOSIS IN OTHER GYNECOLOGICAL CONDITIONS:

- **Prevention:** 1 vaginal suppository a day, preferably in the evening before bedtime, for at least 10 days a month.

PROPERTIES

- Based on tyndallized milk ferments, prebiotics selected for their ability to influence the vaginal ecosystem and strengthen the immune system, and other functional ingredients with soothing and antioxidant action.
- Formulated with: Vitamins A and E.
- Formulated without: parabens and allergens.
- Clinically tested:
 - Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024).
 Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.
 - Guaraldi, C., Costantino, M., & Costantino, D. (2017). Tyndallized lactic ferments: new possible therapies in treating vaginitis. Minerva ginecologica, 69(1), 112.
- · Excellent compliance for the patient.

THERAPEUTIC AREAS: GYNECOLOGY



CISTIDEP® C-MAX 20 TABLETS





Ministry of Health code no. 63630

INDICATIONS

Recommended for the prevention and treatment of recurrent and relapsing urinary tract infections. Particularly recommended in young and sexually active women. It limits the use of antibiotic therapy. It is also useful in case of abacterial cystitis, asymptomatic bacteriuria, prostatitis and some forms of urethritis.

Cranberry d.e. 15% Proanthocyanidins (of which PACs-A 89%), Bromelain, Propolis d.e. 12% total Polyphenols

ACUTE CYSTITIS

• For the first 3 days: 1 tablet, 4 times a day. • For the next 4 days: 1 tablet, 2 times a day.

RECURRENT CYSTITIS

- Women: 1 tablet a day, starting from ovulation until the last day of the menstrual cycle.
- Men: 1 tablet a day, for 10 days a month.

POST-COITAL CYSTITIS

- Day 1: 1 tablet, after sexual intercourse.
- Days 2 and 3: 1 tablet, 2 times a day.

Take it on a full stomach in case of gastropathies.

PROPERTIES

- It exerts a triple action: anti-adhesive, restorative and anti-inflammatory.
- Based on branded and clinically tested ingredients, at therapeutic dosages.
- It contains the best **Cranberry** extract available on the market, with an unique polyphenolic profile, rich in dimeric and trimeric PACs-A (not less than 15% PACs, of which more than 89% of type A), responsible of the anti-adhesive effectiveness of Cranberry.
- It contains **brown Propolis** with high and standardized titration in Polyphenols (galangin, chrysin, pinocembrin, apigenin, pinobanksin, quercetin), extracted with the patented method named Multi Dynamic Extraction.
- It contains **Bromelain** with an high enzymatic activity (2,500 GDU / g; 5,000 FIP / g).
- There is no resistance to treatment.
- Clear and functional therapeutic schemes.
- It can be used both alone and in association with antibiotic therapy, of which it enhances the effectiveness thanks to Bromelain.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • GYNECOLOGY







CISTIDEP® D-MAX 20 SACHETS





Ministry of Health code no. 37122



INDICATIONS

Recommended for the prevention and treatment of recurrent or relapsing urinary tract infections. Particularly suitable during pregnancy, menopause, and in patients suffering from Bladder Pain Syndrome (BPS). Helps reduce the need for antibiotic therapy. Also indicated in cases of abacterial cystitis, asymptomatic bacteriuria, prostatitis, and certain forms of urethritis.

BASED ON

D-Mannose, Methylsulfonylmethane (MSM), Hyaluronic acid

USE

ACUTE CYSTITIS

- For the first 3 days, 4 sachets a day
 - 2 sachets dissolved in 500 ml of water, to drink in the morning.
 - 2 sachets dissolved in 500 ml of water, to drink during the afternoon.

or:

- 1 sachet dissolved in a glass of water, 4 times a day.
- For the next 4 days, 2 sachets a day
 - 2 sachets dissolved in 500 ml of water, to drink during the day.
 or:
 - 1 sachet dissolved in a glass of water, 2 times a day.

RECURRENT CYSTITIS

- Women: 1 sachet a day dissolved in a glass of water, starting from ovulation until the last day of the menstrual cycle.
- Men: 1 sachet a day dissolved in a glass of water, for 10 days a month.

POST-COITAL CYSTITIS

- Day 1
 - 1 sachet dissolved in a glass of water, after sexual intercourse.
- Day 2 and 3
 - 2 sachets dissolved in 500 ml of water, to drink during the day. *or:*
 - 1 sachet dissolved in a glass of water, 2 times a day.

In case of gastrointestinal discomfort or meteorism, it is recommended to take the product concurrently with meals.

PROPERTIES

- It exerts a triple action: anti-adhesive, restorative and anti-inflammatory.
- High dosage of D-Mannose: it inhibits competitively the adhesion of bacteria in the urothelium.
- **High dosage of MSM** for an anti-inflammatory action.
- It contains an optimal amount of Hyaluronic Acid that is not irritable for the urothelium, also in the long-term use.
- D-Mannose and Hyaluronic Acid contribute to repair the urothelial coating.
- MSM and Hyaluronic Acid reduce pain and inflammation.
- There is no resistance to treatment.
- Clear and functional therapeutic schemes.
- It can be used both alone and in association with antibiotic therapy.
- · Excellent palatability: lime flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • NEPHROLOGY • GYNECOLOGY



CISTIDEP® JUNIOR ORAL SOLUTION





Ministry of Health code no. 159354



INDICATIONS

Recommended for the prevention and treatment of relapsing or recurrent urinary tract infections in children. Also useful in combination with antibiotic-prophylaxis and in case of uropathy-malformation. It limits the use of antibiotic therapy.

RASEDON

Inulin, CystiCran™40 (Cranberry) d.e. 40% Proanthocyanidins, Vitamin C, Pido-Zinc® Zinc pidolate

USE

Children from 1Y:

- Acute cystitis: 10 ml, 2 times a day, until the disappearance of symptoms.
- Recurrent cystitis: 10 ml a day, for 10 days per month.

PROPERTIES

- It exerts a triple action: anti-adhesive activity, it prevents the structural alteration of the urothelium and balances the intestinal bacterial flora.
- It contains CystiCran® 40, Cranberry extract with a high Proanthocyanidin titre which counteracts bacterial colonization and protects the glycosaminoglycans (GAGs) of the urothelial coating. The non-fermented Proanthocyanidins (PACs) in the intestine stimulate the innate mucosal immunity.
- It contains Pido-Zinc®, a highly bioavailable Zinc pidolate, which supports the immune system and limits the susceptibility to infections, including urinary ones.
- Inulin plays a prebiotic action both directly and indirectly, generating
 Fructo-oligosaccharides (FOS), and favorably influencing the innate and
 adaptive immune response in the intestine.
- Vitamin C improves the immune response and counteracts postinfectious outcomes.
- It is formulated according to LARN (Levels of Reference Intake of Nutrients and Energy for the Italian population).
- There is no resistance to treatment.
- It can be used both alone and in combination with antibiotic therapies.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • UROLOGY • NEPHROLOGY

COGNIDEP® 14 SACHETS



250

Ministry of Health code no. 113154

INDICATIONS

Recommended to promote cognitive functions and memory. It protects cells from oxidative stress.

BASED ON

Citicoline sodium, Red grape d.e., Superoxide dismutase

USE

Adults: 1 sachet a day dissolved in a glass of water (150 ml), preferably in the morning.


PROPERTIES

- Clinically tested ingredients at therapeutic dosages promote neuronal survival and modulation of synaptic transmission, counteract the formation of neurotoxic protein aggregates, restore a physiological cerebral blood flow and counteract vascular forms of dementia.
- Red grape extract, rich in polyphenols, powerful antioxidants with anti-inflammatory properties that modulate neurotrophic signaling and support the functionality of the nervous system. Clinical studies support the beneficial effects on the performance of neurocognitive and neuropsychological functions in healthy adults. It also has positive side effects on anxiety, depression and psychophysical sensations.
- SOD B Extramel®, a 100% bioactive plant-based superoxide dismutase, an antioxidant enzyme that protects cells from oxidative stress and supports cerebral and vascular health.
- It contains a high dose of Citicoline per sachet (1 g of Citicoline sodium/sachet): it provides high amount of choline that helps preserve structural and functional integrity of the neuronal membrane and improves cholinergic transmission (through the synthesis of acetylcholine), essential in maintaining primary cognitive activities.
- Excellent palatability: carrot, lemon and orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: NEUROLOGY • GERIATRICS • PSYCHO-GERIATRICS • PSYCHIATRY • VASCULAR MEDICINE









COLIDEP® JUNIOR DROPS



20 ml

Ministry of Health code no. 146689



INDICATIONS

Recommended to counteract the restlessness of the child caused by abdominal tension, even of a psycho-somatic nature

BASED ON

Chamomile hydroglyceric e., Fennel hydroglyceric e., Lemon balm hydroglyceric e., Fennel d.e. 1% Essential oil, Lemon balm d.e. 2% Rosmarinic acid, Chamomile d.e. 0.3% Apigenin, Linden d.e. 1% Flavonoids

USE

Infants: 0.5 ml (1 pipette) before each feed, directly in the mouth or diluted in drinks or food.

Children: up to 4 ml (8 pipettes) per day.

PROPERTIES

- It has a double and immediate relaxing action: it reduces the nervousness of the child and calms the intestinal spasms.
- It acts on various neurotransmitter systems favoring the reduction of agitation associated with psycho-somatizations that are reflected in the gastro-intestinal tract.
- It exerts a carminative and prokinetic action on the gastrointestinal smooth muscle which favors the removal of gas, reduces the violence of the spasms and the associated pain.
- · It does not affect mental alertness and is not addictive.
- Its extracts are selected to ensure effectiveness and safety of use, even for children.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: without flavorings, with the natural taste of fennel, loved by children.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • NEONATOLOGY

COLLAGENDEP® BEAUTY COCKTAIL

20 DRINKABLE STICKS



15 ml Ministry of Health code no. 114745

INDICATIONS

Long-lasting bio-revitalizing supplement that reduces visible wrinkles and improves skin elasticity after just 1 month of treatment.

BASED ON

Verisol® - hydrolyzed collagen peptides (HALAL certified), Vitamin C, Hyaluronic acid, Zinc, Resveratrol, Copper, Biotin

IISF

Adults: 1 drinkable stick a day. The following treatment cycles are recommended: 40-day-intake / 30-day-interruption / 40-day-intake. Between one cycle and another, a 60-day break is recommended, for a total of at least 2 cycles per year. The duration of treatments and their frequency depends on the state of health of the skin and on the degree of well-being and beauty that one wants to achieve.

PROPERTIES

- Restructuring: Verisol® hydrolyzed collagen peptides stimulate the natural production of collagen and revitalize the skin for a lasting and visible result of toned and compact skin.
- Antioxidant: Vitamin C, Resveratrol, Copper, Zinc and Biotin
 protect cells and dermal structural proteins from oxidative stress.
- Moisturizing: thanks to high molecular weight hyaluronic acid.
- Recommended in association with Collagendep® Intense-filler cream, in integrated protocols for the treatment of aging of the face, neck and décolleté.
- Also ideal for consolidating and strengthening filler treatments, biorevitalizing treatments based on hyaluronic acid or mixtures of amino acids and vitamins and / or chemical and / or physical peels, radiofrequency, laser, pulsed light and fractional thermal energy, etc.
- Practical drinkable sticks.
- Verisol® hydrolyzed collagen peptides are BSE and TSE free and Kosher and Halal certified.
- Excellent palatability: pineapple flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY



COLLAGENDEP® CELL RECHARGE 12 DRINK CAPS





Ministry of Health code no. 138280

INDICATIONS

Total body treatment that reduces the typical appearance of orange peel skin and promotes the remodeling of the silhouette.

BASED ON

Verisol® - hydrolyzed collagen peptides (HALAL certified), SOD B Dimpless® (Superoxide dismutase)

Adults: 1 drink cap a day. Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the mark. Remove the foil from the drink cap and screw it on the Erbozeta® Smart Bottle. Press the top of the drink cap until the content is completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with its original cap, shake well to obtain a homogeneous solution and drink within 6 hours.

PROPERTIES

- Collagendep® Cell Recharge is based on Verisol® hydrolyzed collagen peptides and SOD B Dimpless®, a melon juice concentrate rich in superoxide dismutase (SOD), 100% natural, obtained exclusively from the "Cantaloupe" variety of the fruit, cultivated only in the South of France.
- It counteracts the imperfections of cellulite by simultaneously working on the formation of the dermal matrix, on the subcutaneous fat deposits and on the fibrosis (hardening) of the connective tissue.
- **Lipolytic**: **SOD B Dimpless**® decreases the size of the fat cells of the hypodermis, responsible for the effect of the orange peel skin.
- Antifibrotic: SOD B Dimpless® acts on the fibrosis of the hypodermis, associated with the most advanced stages of the cellulite
- Remodeling: Verisol® hydrolyzed collagen peptides restore the normal structure of the dermis by reducing the skin waviness typical
- Verisol® collagen peptides are BSE and TSE free and Kosher and Halal certified.
- Also recommended in association with aesthetic and medicalaesthetic draining and anti-cellulite treatments.
- Each drink cap provides 10 Kcal only.
- No added sugar: also suitable in case of ketogenic diets.
- It contains natural colorants only: beet root red.
- Allergen and preservative free.
- Excellent palatability: peach flavour (hypoallergenic aroma), orange flavour.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® DREN STARTER KIT

1 ERBOZETA® SMART BOTTLE + 12 DRINK CAPS



Ministry of Health code no. 138281

INDICATIONS

Total body treatment that stimulates microcirculation and promotes the elimination of excess fluid, for a visible draining and toning effect.

BASED ON

Bromelain, Gotu kola, Sweet clover

Adults: 1 drink cap a day. Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the mark. Remove the foil from the drink cap and screw it on the Erbozeta® Smart Bottle. Press the top of the drink cap until the content is completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with its original cap, shake well to obtain a homogeneous solution and drink within 6 hours.

PROPERTIES

- **Lymphokinetic**: **Sweet clover** activates macrophages, promoting the reabsorption of the exudate typical of lymphedematous tissue.
- Anti-edema: Bromelain decreases the accumulation of liquids between hypodermic adipocytes, favoring their reabsorption via the lymphatic system and decongesting the adipose tissue.
- **Vasotonic: Gotu kola** strengthens the wall of blood capillaries by reducing edema, improving microcirculation and increasing tissue
- It decongests the hypodermic tissue preparing it for the subsequent lipolytic, antifibrotic and restructuring treatment with Collagendep® Cell Recharge.
- Also recommended in association with aesthetic and medicalaesthetic draining and anti-cellulite treatments.
- Each drink cap provides only 5 Kcal.
- Without added sugar: also recommended in case of ketogenic diets.
- It contains natural colorants only: vitamin B2 and chlorophyll.
- Allergen and preservative free.
- Excellent palatability: pineapple flavour (hypoallergenic aroma), lemon flavour.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY









COLLAGENDEP® DREN RECHARGE 12 DRINK CAPS





Flavours:

PINEAPPLE LEMON

Ministry of Health code no. 138281

INDICATIONS

Total body treatment that stimulates microcirculation and promotes the elimination of excess fluid, for a visible draining and toning effect.

BASED ON

Bromelain, Gotu kola, Sweet clover

IISF

Adults: 1 drink cap a day. Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the mark. Remove the foil from the drink cap and screw it on the Erbozeta® Smart Bottle. Press the top of the drink cap until the content is completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with its original cap, shake well to obtain a homogeneous solution and drink within 6 hours.

PROPERTIES

- Lymphokinetic: Sweet clover activates macrophages, promoting the reabsorption of the exudate typical of lymphedematous tissue.
- Anti-edema: Bromelain decreases the accumulation of liquids between hypodermic adipocytes, favoring their reabsorption via the lymphatic system and decongesting the adipose tissue.
- Vasotonic: Gotu kola strengthens the wall of blood capillaries by reducing edema, improving microcirculation and increasing tissue oxygenation.
- It decongests the hypodermic tissue preparing it for the subsequent lipolytic, antifibrotic and restructuring treatment with Collagendep® Cell Recharge.
- Also recommended in association with aesthetic and medical-aesthetic draining and anti-cellulite treatments.
- Each drink cap provides only 5 Kcal.
- · Without added sugar: also recommended in case of ketogenic diets.
- It contains natural colorants only: vitamin B2 and chlorophyll.
- · Allergen and preservative free.
- Excellent palatability: pineapple flavour (hypoallergenic aroma), lemon flavour.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

>> NEW JAR WITH REFILLABLE FORMAT

COLLAGENDEP® INTENSE-FILLER

JAR - REFILL





INDICATIONS

Revitalizing and anti-wrinkle day and night cream, ideal for all skin types and suitable for every season.

BASED ON

Triple molecular weight Hyaluronic Acid (high, low, and ultra-low), Shea Butter, Sea Kale Extract, Jojoba Oil, Biomimetic Peptide.

USE

Adults: apply morning and evening to face, neck and décolleté after thorough cleansing. Gently massage with circular motions until fully absorbed. Also ideal as a makeup base.

PROPERTIES

- Anti-aging face cream with a rich, nourishing touch, formulated with a blend of functional ingredients with filling action. Provides deep hydration, reduces wrinkles and fine lines, and strengthens the skin barrier. For a smoother, plumper-looking complexion.
- Firming: Tripeptide-2, Jojoba Oil and Shea Butter improve skin elasticity, reduce sagging and help redefine facial contours.
- Filling: Sea Kale extract and low to ultra-low molecular weight Hyaluronic Acid stimulate collagen and glycosaminoglycan production, reducing wrinkles and fine lines.
- Moisturizing: the combination of hyaluronic acids with different molecular weights ensures multi-level hydration.
- Ideal in combination with Collagendep® Beauty Cocktail and/or Collagendep® Sun, as part of integrated protocols for treating aging of the face, neck and décolleté.
- Tactile sensations: forms a soft, ultra-light film on the skin, protecting it from seasonal changes. Its silky texture makes it suitable for use all year round, in any climate and on all skin types.
- Olfactory sensations: features delicate, sweet top notes with fruity and floral hints, enveloped by a base of white musk and amber tones.
- Nickel-tested and dermatologically tested.
- Free from parabens and petrolatum.
- Available in an elegant glass and aluminum jar, with exclusive design, and
 also in the practical Smart Refill format: a 100% recycled aluminum refill
 tube, including cap, designed to refill and reuse the iconic Collagendep®
 jars. The refill process is simple and intuitive: just remove the aluminum
 cap and pour the cream into the jar.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY



>> NEW JAR WITH **REFILLABLE FORMAT**

COLLAGENDEP® OSMO CREAM

JAR - REFILL





INDICATIONS

Draining and toning body cream based on pure rock salt.

BASED ON

Rock Salt, Caffeine, Carnitine, Jojoba Oil, Sweet Almond Oil, Shea Butter.

USE

Adults: apply morning and evening to the abdomen, thighs or buttocks, depending on the area to be treated. Massage with circular motions until fully absorbed.

PROPERTIES

- Intensive remodeling treatment. The high concentration of rock salt, thanks to its osmotic effect, works synergistically with caffeine and carnitine to reshape the silhouette and improve skin firmness and tone. Plant-based oils and butters rich in vitamin E nourish the skin, leaving it soft and elastic.
- **Draining**: the high concentration of **Rock Salt** promotes the elimination of excess fluids through osmotic processes. Helps reduce swelling and puffiness typical of cellulite, with a slimming and reshaping effect.
- **Lipolytic: Carnitine and Caffeine** work synergistically to enhance slimming and reshaping effects while promoting tissue oxygenation, improving skin tone and elasticity.
- Firming: Jojoba Oil, Sweet Almond Oil and Shea Butter improve skin firmness and elasticity.
- Ideal in combination with the Collagendep® Smart Cell anti-cellulite program. May also be effectively delivered into the dermis during treatments with radiofrequency and/or mesotherapy.
- Tactile sensations: unique and distinctive texture thanks to the high percentage of rock salt. Velvety feel for maximum comfort.
- · Olfactory sensations: aromatic top notes of maritime pine and rosemary, blended with floral and fruity nuances, and warm base notes of vanilla and sandalwood.
- · Nickel-, iodine- and dermatologically tested.
- · Free from parabens and petrolatum.
- Available in an elegant glass and aluminum jar, with exclusive design, and also in the practical Smart Refill format: a 100% recycled aluminum refill tube, including cap, designed to refill and reuse the iconic Collagendep® jars. The refill process is simple and intuitive: just remove the aluminum cap and pour the cream into the jar.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® PINK BEAUTY

20 DRINKABLE STICKS



Ministry of Health code no. 158464

INDICATIONS

Recommended for the prevention and treatment of clinical conditions characterized by genitourinary tissue thinning and dysfunction, such as Genitourinary Syndrome of Menopause (GSM), post-partum (vaginal or cesarean), genital lichen sclerosus, endometriosis or adenomyosis, and pelvic floor dysfunctions. Suitable for use alone or in combination with pharmacological and/or physical therapies to improve tissue quality and counteract thinning, loss of elasticity and the associated symptoms.

BASED ON

Astrion™ (Astragalus and Gotu kola extracts), HyaSource® Vita Mini (very low molecular weight hyaluronic acid), Ribocare® (nucleotides), Verisol® (hydrolyzed collagen peptides)

USE

Adults: 1 drinkable stick a day, at any time of the day, for 4 months. It is recommended to repeat the protocol after 4 months, for a total of two treatment cycles per year.

PROPERTIES

- Patent pending
- Mix of patented ingredients that offer a functional systemic treatment for the recovery of vulvo-vaginal eutrophism, carrying out an effective restructuring, elasticising and moisturizing action on the vaginal mucosa and urethral epithelium.
- It stimulates the endogenous production of collagen and extracellular matrix by supporting the trophism and structure of the genitourinary tissues.
- Ideal for all women experiencing conditions associated with pain, inflammation, and localized dysfunctions affecting genitourinary tissues.
- Also suitable for managing symptoms related to menopause induced pharmacologically and/or surgically, as well as in combination with anti-estrogen therapies.
- · Excellent palatability: pineapple flavour.
- Allergen and colorant free

THERAPEUTIC AREAS: ESTHETIC MEDICINE • DERMATOLOGY • GYNECOLOGY • UROLOGY • ONCOLOGY









>> **NEW**

COLLAGENDEP® SHAPE RESET

30 SACHETS





INDICATIONS

Designed to support weight loss, improve the glyco-lipid profile, and help manage emotional eating. It naturally and effectively helps restore body shape thanks to its complete action on body fat, blood sugar, and satiety.

BASED ON

Chromium, Rhodiola rosea, Slendacor® (Moringa, Murraya, and Turmeric extracts), Reducose® (White mulberry)

USE

Adolescents and adults: 1 sachet, during the main meals 2 times a day. Pour the contents of one sachet into a glass of water (150 ml), stir well and drink during the meal

PROPERTIES

- Slendacor®: enhances lipolysis, inhibits lipogenesis, and
 promotes the conversion of white adipose tissue into metabolically
 active brown fat. It provides a non-stimulant thermogenic effect
 that increases calorie consumption even at rest.
- Reducose®: reduces carbohydrate absorption, regulates blood glucose and insulin levels, increases satiety, and helps counteract skin aging by limiting the formation of AGEs and preserving collagen and skin elasticity.
- Rhodiola rosea: reduces stress and emotional eating thanks to its adaptogenic properties, improving emotional well-being and supporting a balanced dietary approach.
- Chromium picolinate: improves insulin sensitivity, stabilizes blood sugar levels, and reduces sugar cravings, supporting metabolic control.
- · Excellent palatability: peach flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: ESTHETIC MEDICINE • DERMATOLOGY • GYNECOLOGY • UROLOGY • ONCOLOGY

COLLAGENDEP® SUN

20 TABLETS





Ministry of Health code no. 115772

INDICATIONS

Summer beauty routine against photoaging for an effective photoimmunoprotective, anti-wrinkle and anti-dark spots action.

BASED ON

Verisol® - hydrolyzed collagen peptides (HALAL certified), Polypodium leucotomos d.e., Silymarin Phytosome®

USE

Adults:

- Summer beauty routine: 1 tablet a day, to be swallowed with water.
- · In case of direct sun exposure:
 - 1 tablet for darker skin phototype (4, 5 and 6).
 - 2 tablets, in a single administration, for lighter skin phototype (1, 2 and 3).
 - 2 tablets, in a single administration, in case of intense exposure (central hours of the day, 11.00-16.00).
 - 2 tablets, even in a single administration, in case of exposure at high altitude (above 1500 m) or near the equator.

PROPERTIES

- Polypodium leucotomos and Silymarin have a photoprotective and antioxidant action capable of defending the skin from solar radiation responsible for premature aging and damage to cellular DNA. They reduce oxidative damage, both to cellular structures and to dermal structural proteins (such as collagen), reduce the frequency and severity of erythema, the hyperproduction of melanin and related dischromatisms and the pro-oncogenic action of ultraviolet radiation.
- Verisol® hydrolyzed collagen peptides stimulate the production of collagen, counteracting its loss due to the action of UV rays.
- It represents the summer version of Collagendep® Beauty Cocktail in
 which the quantitative ratio between collagen peptides and
 antioxidants has been reversed in favor of the latter to prevent and
 repair the oxidative damage mediated by solar radiation responsible
 for the skin photoaging process.
- Also ideal during the winter season as a photoprotector for oral use to protect the skin after medical and cosmetic surgery treatments and prevent the formation of dark spots.
- Verisol® collagen peptides are BSE and TSE free and Kosher and Halal certified.
- Colorant, preservative and sweetener free.
- · Gluten free.
- Naturally lactose free.
- It contains soy lecithin.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY • ONCOLOGY



D-DEP 10000 30 CAPSULES



æ

INDICATIONS

Recommended in case of prophylaxis with Vitamin D3.

BASED ON

Vitamin D3 - 10,000 IU

USE

Adults: 1 capsule, on a full stomach, each 7 days, or as advised by your doctor.

PROPERTIES

- Vitamin D is essential for bone health, proper functioning of muscles and the immune system.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE

D-DEP 5000 30 CAPSULES



æ

INDICATIONS

Recommended in case of prophylaxis with Vitamin D3.

BASED ON

Vitamin D3 - 5000 IU

Adults: 1 capsule, on a full stomach, each 3 days, or as advised by your doctor.

PROPERTIES

- Vitamin D is essential for bone health, for the proper functioning of muscles and the immune system.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE

D-DEP 1000 30 CAPSULES



æ

INDICATIONS

Recommended in case of prophylaxis with Vitamin D3.

BASED ON

Vitamin D3 - 1000 IU

USE

Adults: 1 capsule a day, or as advised by your doctor.


PROPERTIES

- Vitamin D is essential for bone health, for the proper functioning of muscles and the immune system.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE









ENTERO MIRTO®

10 SACHETS





Ministry of Health code no. 15074

INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast abdominal discomfort, irritable bowel syndrome and vaginal and urinary infections.

BASED ON

- Red poppy d.e.
- Prebiotics: Inulin, Fructo-oligosaccharides (FOS)
- Probiotics: Bifidobacterium lactis BI-04, Lactobacillus bulgaricus - Lb-87, Lactobacillus reuteri - Lr-92, Lactobacillus rhamnosus GG

USE

Adults: 1-2 sachets a day, away from meals, dissolved in a glass of water (100 ml).

PROPERTIES

- The synergic activity of probiotics and prebiotics increases the tropism for intestinal cells.
- Multispecies and multistrains probiotics, gastric pH and bile salts resistant: 10 billion CFUs/sachet.
- Packaging designed to ensure the vitality of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: pineapple flavour.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY

ENTERO MIRTO®

10 SINGLE-DOSE BOTTLES





Ministry of Health code no. 59401



INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast stress dysbiosis, irregularities in the bowel and skin manifestations (dermatitis).

BASED ON

- Prebiotics: FIBERAID™ AG Arabinogalactan from Larch bark
- Probiotics: Lactobacillus reuteri DSM 26866

USE

Children from 2Y: 1 single-dose bottle a day, away from meals.

Adults: 1-2 single-dose bottles a day, away from meals.

PROPERTIES

- The synergic activity of probiotics and prebiotics increases the tropism for intestinal cells.
- Monospecies-monostrain probiotics, resistant to gastric pH and bile salts: 7 billion CFUs/single-dose bottle.
- Once dispersed in the aqueous solution, the probiotic activates through its metabolic reactions, promoting delivery and absorption, and ensuring a fast-acting effect-particularly useful in case of diarrhea.
- Practical single-dose bottle ensures product quality and stability: the probiotics are separated from the aqueous solution to preserve their viability and functionality and are reconstituted in aqueous solution only before use.
- It does not need to be stored at low temperatures.
- · Excellent palatability: mango flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PEDIATRICS



30 CAPSULES



æ

Ministry of Health code no. 15737



INDICATIONS

Recommended for all sideropenic conditions.

BASED ON

SunActive® Fe - Microencapsulated ferric pyrophosphate, Vitamin C

USE

Adults: 1 capsule a day, at any time of the day.

PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones.
- It contains **SunActive**®**Iron**, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible; it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies support its high bioavailability and efficacy. TAIYO GmbH internal data.
- High patient compliance.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GERIATRICS • GYNECOLOGY • ONCOLOGY • CARDIOLOGY • NEPHROLOGY • DIETOLOGY

FERRODEP® ORAL SOLUTION



Ministry of Health code no. 28265



INDICATIONS

Recommended for all sideropenic conditions.

BASED ON

SunActive® Fe - Microencapsulated ferric pyrophosphate, Pido- Zinc® Zinc pidolate, Copper gluconate, Vitamin C, Vitamin B2, Vitamin B6, Folic acid, Vitamin B12

USE

Children 1Y-6Y: 5 ml a day. Children 7Y-12Y: 10 ml a day. Adults: 10 ml, twice a day.

It can be taken at any time of the day.

PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones, which can significantly interfere with the psychomotor development of the child.
- It contains **SunActive®Iron**, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies support its high bioavailability and efficacy. TAIYO GmbH internal data.
- **Group B vitamins** help maintain a correct functionality of the immune system.
- **Vitamin C** and **Copper** improve the transport of iron and promote the maturation of all blood cells.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- It is formulated according to LARN (Reference Intake Levels of Nutrients and Energy for the Italian population).
- High patient compliance.
- Excellent palatability: orange flavour (hypoallergenic aroma), children love its taste.
- Colorant free.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PEDIATRICS • GERIATRICS • GYNECOLOGY • GASTRO-ENTEROLOGY • DIETOLOGY • UROLOGY • NEPHROLOGY









FRUTDEP® D3 JUNIOR DROPS





Ministry of Health code no. 88963



INDICATIONS

Recommended in case of prophylaxis with Vitamin D3 and DHA, from the first days of a child's life.

BASED ON

Algal DHA, Vitamin D3 - 400 IU

USE

Children from 0M: 0.5 ml a day (1 dropper), directly in the mouth or diluted in beverages or food, on a full stomach.

PROPERTIES

- Vitamin D is essential for bone health, correct muscle and immune development of the child.
- DHA contributes to the maintenance of normal brain and eye functions
- It contains DHA extracted from Schizochytrium sp. seaweed, which exclusively feeds on organic and vegetable substances and is extremely rich in marine Omega-3 fatty acids.
- Designed for all children up to 2 years of age, at least.
- Also suitable for premature newborns, from the first days of life
- It can be diluted in a little water or other beverages (not hot ones).
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: NEONATOLOGY • PEDIATRICS

FRUTDEP® IMMUNO

20 SINGLE-DOSE BOTTLES





Ministry of Health code no. 12627



INDICATIONS

Recommended to strengthen the immune system against viral and bacterial infections.

BASED ON

Concentrated fruit juices, Beta-glucan, Vitamin C, Lactoferrin, Resveratrol, Beta-carotene, Folic acid, Group B vitamins, Vitamin D3

IISF

Children from 1Y: 1 single-dose bottle a day. **Adults:** 2 single-dose bottles a day.

Take preferably in the morning, on a full stomach. In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles. Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

PROPERTIES

- It offers a broad-spectrum immunity protection: rich in immunomodulating active ingredients and water-soluble vitamins.
- Designed for children from 1 year of age, especially those most sensitive to recurrent respiratory infections.
- · Also suitable for adults and elderly people.
- Practical single-dose bottles that ensure quality and stability.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Colorant and sweetener free.
- · Gluten free.
- · Naturally lactose free.
- It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: PEDIATRICS



FRUTDEP® MIX **DROPS**





Ministry of Health code no. 94576



INDICATIONS

Recommended in case of restricted or selective diets or with concomitant therapies that interfere with the absorption or metabolism of nutrients.

BASED ON

Folic acid, Group B vitamins, Vitamin A, Vitamin C, Vitamin D3, Vitamin E, Vitamin H, Vitamin K1

Children OM-12M: 0.5 ml (1 dropper) a day. Children 13M-3Y: 1 ml (2 dropper) a day. Children 4Y-6Y: 1.5 ml (3 dropper) a day. Children 7Y-12Y: 2 ml (4 dropper) a day.

Take preferably in the morning, directly in the mouth or diluted in beverages or food, on a full stomach.

PROPERTIES

- · Multivitaminic designed for all children up to 10 years of age, formulated according to LARN (Nutrient and Energy Intake Reference Values for the Italian population).
- It can be diluted in a little water or other beverages (not hot ones).
- Practical bottle with internal graduated dropper with ink-free
- · Excellent palatability: mixed fruit flavour (hypoallergenic aroma), children love its taste.
- Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • NEONATOLOGY

GASDEP® ACTIVE

6+12 SACHETS





Ministry of Health code no. 90241



INDICATIONS

Recommended in case of digestive difficulties, swelling and abdominal tension. Particularly indicated in subjects with food intolerances. Also useful in preparation for abdominal ultrasound.

RASED ON

- Blue sachet: Bifidobacterium lactis BI-04, Lactobacillus acidophilus La-14
- Red sachet: Fennel d.e. 1% Essential oil, Enzi-mix® (Amilases, Proteases, Glucoamylases, Lipases, Cellulases, Lactases, Pectinases), Beta-galactosidase, Mint d.e. 4% Essential oil, Ginger d.e. 5% Gingerols, Fennel Essential oil, Star anise Essential oil, Alphagalactosidase

USE

Adults: 1 blue sachet per day, dissolved in a glass of water (200 ml), at any time of the day; 1 red sachet, dissolved in a glass of water (200 ml), 30 minutes before main meals.

PROPERTIES

- 2 treatments in 1 single product, in a dual sachet. It promotes digestion, especially of lactose and complex carbohydrates, and helps restore the balance of intestinal bacterial flora: it reduces typical symptoms of food intolerances (halitosis, constipation, diarrhea, and alternating bowel habits).
- The red sachet contains a mix of **plant extracts and enzymes** (α-galactosidase, β-galactosidase, and Enzi-mix®) that regulate digestive processes, with carminative, digestive, antifermentative, and antispasmodic actions, relieving the entire digestive tract and improving its function.
- The blue sachet contains multispecies-monostrain probiotics (5 billion CFU/sachet), specifically selected for their synergistic action in rebalancing gut flora, removing fermentation gases, and reducing intestinal inflammation.
- Also useful in preparation for **abdominal ultrasound**: its ability to eliminate gas and reduce bloating and abdominal tension allows for more effective imaging.
- Anise and fennel flavour; blue sachet: berry flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY









GASDEP® 45 CAPSULES





Ministry of Health code no. 36099



INDICATIONS

Recommended in case of digestive difficulties, swelling and abdominal tension. Also useful in preparation for abdominal ultrasound.

BASED ON

- Dry extracts: Fennel d.e. 1% Essential oil, Green anise d.e., Mint d.e. 4% Essential oil, Caraway d.e., Ginger d.e. 1% Gingerols
- Essential oils: Fennel, Star anise
- Enzymes: Enzi-mix® (Amylases, Cellulases, Glucomylases, Lactases, Lipases, Pectinases, Proteases)
- **Probiotics:** *Lactobacillus Acidophilus* SD5212

USE

Adults: 1 capsule, 3 times a day, before the main meals.

PROPERTIES

- Useful to promote digestion, especially the one of lactose and complex carbohydrates, and restore the balance of intestinal bacterial flora.
- It contains Enzi-mix®: patented enzymes blend that allows a better digestion of proteins, fats and carbohydrates, improving their absorption at intestinal level.
- The combination of plant extracts, Enzi-mix® and monospecies/monostrain probiotics (4.5 billion CFUs/ capsule) regulates the digestive processes by performing a multiple carminative, digestive, antifermentative and antispasmodic action, giving relief to the entire digestive tract and improving its functionality.
- It is also useful in preparation for abdominal ultrasound: its ability to eliminate gases and reduce abdominal swelling and tension allows a better ultrasound examination.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY

GASTRODEP® ACT

24 CHEWABLE TABLETS





INDICATIONS

Recommended for the treatment of symptoms associated with gastroesophageal reflux disease (GERD).

BASED ON

Chitosan, Liquorice, Melatonin, Potassium bicarbonate, Quercetin, Sodium alginate

USE

Adults: 1 chewable tablet, 10 minutes after meals and before bedtime.

PROPERTIES

- Counteract reflux symptoms and protects the gastroesophageal mucosa.
- The combination of sodium alginate and potassium bicarbonate effectively blocks gastric reflux through a pharmaceutical-grade raft effect.
- The exclusive association between chitosan and quercetin regenerates the esophageal mucosa through a barrier effect combined with a restorative action.
- Low-dose melatonin helps tone the esophageal sphincter, providing a rapid, long-lasting, and progressive effect.


THERAPEUTIC AREAS: GASTRO-ENTEROLOGY, OTORHINO-LARYNGOLOGY, DIETOLOGY, GERIATRICS



GASTRODEP® JUNIOR

20 SINGLE-DOSE BOTTLES + DROPPER







INDICATIONS

Recommended for the treatment of regurgitation and gastroesophageal reflux and related symptoms.

BASED ON

Banana juice, Hydrolyzed collagen peptides, Chondroitin sulphate, Hyaluronic acid, Mallow d.e. 30% Polysaccharides, Marshmallow d.e. 30% Polysaccharides

USE

Reflux in the newborn: 2 pipettes after each feed. Use the dropper to take the amount to be taken and close the vial by screwing it back onto the bottle. The entire contents of the vial can be consumed within 24 hours of opening. (1 single-dose bottle \sim 10 pipettes).

Children from 1Y: 1 single-dose bottle, 10 minutes after meals and before bedtime.

PROPERTIES

- Innovative formulation with high mucoadhesiveness,
 offering trophic-regenerative, protective, and antacid
 actions. Useful for alleviating the symptoms of
 gastroesophageal reflux and for restoring and protecting the
 gastroesophageal mucosa.
- Ensures mucosal protection by acting synergistically at the pre-epithelial, epithelial, and post-epithelial factors.
- Hydrolyzed collagen peptides, Chondroitin sulphate and Hyaluronic acid preserve the integrity and functionality of the gastroesophageal mucosa by providing mechanical support, resilience and hydration throughout the tract.
- The Polysaccharides from Mallow and Marshmallow form a protective adhesive film over the mucosa, shielding it from the aggressiveness of gastric juices and acidic gases rising from the stomach.
- Banana juice reduces heartburn and increases the resistance of the gastroesophageal mucosa by stimulating endogenous mucin production in the stomach.
- Its high mucoadhesiveness, validated by laboratory tests, ensures prolonged contact of the active ingredients with the mucosa and improved therapeutic efficacy.
- Practical bottles ensure quality, stability and hygiene.
- Equipped with a graduated dropper for easy administration to newborns. The dropper is not made of glass and is ink-free.
- Excellent palatability: white peach flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS

GASTRODEP® 30 OROSOLUBLE STICKS



1.3 g Ministry of Health code no. 76101

INDICATIONS

Recommended for the treatment of symptoms associated with GERD (Gastro-Esophageal Reflux Disease), gastritis and ulcers.

BASED ON

Mucosave® (biophenols from Olive leaves, polysaccharides from Opuntia) 15% total Polysaccharides, Sodium alginate, Mallow d.e. 30% Polysaccharides, Altea d.e. 30% Polysaccharides, Calcium carbonate, Potassium bicarbonate, Saffron d.e. 5% Crocin

USE

Adults: 1 stick to be dissolved in the mouth, 10 minutes after meals and before bedtime.

PROPERTIES

- · It exerts a mucoprotective and and antireflux activity.
- It contains **Mucosave**®: a patented mixture of polysaccharides derived from Opuntia and biophenols from Olive leaves, which favours the protection of the gastric and esophageal mucosa, counteracts the typical symptoms of GERD (Gastro Esophageal Reflux Disease) and helps the healing of the injured mucosa.
- It contains Saffron extract which modulates esophageal sensitivity. It is also useful to regulate mood and prevent somatizations.
- It can also be taken for long time and in repeatable cycles.
- It does not cause addiction.
- · It gives immediate relief.
- Maximum effectiveness.
- Practical fast absorption orosoluble sticks.
- · Excellent palatability: liquorice and mint flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • CARDIOLOGY • DIETOLOGY









GLICOPED® 30 STICKS





Ministry of Health code no. 168425



INDICATIONS

Recommended for the management of overweight and obesity in children.

BASED ON

Reducose® (White mulberry)

IISF

Children from 5Y: 1 stick during main meals, twice a day. Pour the contents of the stick into a glass of water (150 ml), mix well, and take in conjunction with meals rich in complex carbohydrates. It is important that the solution reaches the gut along with the food.

PROPERTIES

- Based on Reducose® aqueous extract of white mulberry standardized in 1-deoxynojirimycin (DNJ).
- It promotes the reduction of carbohydrate absorption by reversibly inhibiting the enzymes responsible for carbohydrate digestion.
- It reduces the post-prandial glycemic and insulinemic peak.
- It promotes weight control and increased long-term sense of satiety.
- It works immediately and lasts for about 90 minutes after intake.
- · Total gastro-intestinal tolerability.
- It improves health outcomes when combined with a controlled diet
- Efficacy and safety documented by peer-reviewed clinical studies.
- Excellent compliance for the patient.
- Allergen and preservative free. No added sugar.
- Excellent palatability: cocoa flavour (hypoallergenic aroma), children love its taste.

THERAPEUTIC AREAS: DIETOLOGY • DIABETOLOGY • PEDIATRICS

GLUCO 100 FORTE®

30 CAPSULES





Ministry of Health code no. 57852



INDICATIONS

Recommended in association with low-calorie diets aimed at weight control, to help achieve a sense of satiety.

BASED ON

Glucomannan 100

USE

- Appetite control in adults and children in overweight or obese in a loss program weight: 1 or 2 capsules, 1 hour before the main meals.
- Appetite control and maintenance of weight following a restrictive diet: 1 or 2 capsules, 1 hour before the main meals.
- Controlling appetite and weight during pregnancy: 1 capsule, 1 hour before the main meals.

Take each capsule with 1 glass of water.

PROPERTIES

- Based on Glucomannan 100, a highly purified, super-molecular powder of the highest quality with high viscosity power.
- In the stomach, it generates a viscous gel that expands, sending satiety signals to the brain. This process induces the release of appetite-suppressing (anorexigenic) hormones such as GLP-1, CCK and PYY, while inhibiting the secretion of ghrelin, an appetitestimulating hormone. This reduces appetite, promotes a sense of satiety and supports weight loss.
- It has excellent **oil-absorbing properties** that help trap fats in the gut, reducing their absorption.
- As a fiber, it acts as a prebiotic in the intestine, improving the quality of the gut microbiota.
- Several clinical trials confirm its efficacy in the treatment of obesity in adults, children and pregnant women.
- · Its high purity ensures safety of use.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • DIABETOLOGY



GOLAPROP® 24 CHEWABLE TABLETS



Ministry of Health code no. 45788

INDICATIONS

Recommended in all inflammatory states of the oropharyngeal tract accompanied by localized pain.

BASED ON

Wildflower honey, Vitamin C, Propolis d.e. 12% Galangin, Hedge mustard d.e., Thyme d.e. 0.5% Essential oil, Grindelia d.e., Sodium hyaluronate, Mountain pine Essential oil

USE

Children from 8Y and adults: 1 chewable tablet, 3 times a day, preferably away from meals.

PROPERTIES

- The synergic activity of the ingredients guarantees a complete action on the oro-pharyngeal mucosa; it relieves inflammation counteracting burning, difficulty in swallowing, hoarseness, aphonia and the progression of different oral diseases.
- It is formulated in chewable tablets: a rapid-release pharmaceutical form that guarantees fast and optimal absorption of the active ingredients and high compliance even for patients with difficulty in swallowing.
- It contains wildflower honey of EU origin.
- · Excellent palatability: mixed fruit flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY

GOLAPROP® THROAT SPRAY



¹50 ml CLASS II MD **C** € 0426

INDICATIONS

Recommended in all inflammatory states of the oropharyngeal tract accompanied by localized pain. Also indicated in case of pharyngitis and stomatitis.

BASED ON

Propolis, Echinacea, Thyme, Acerola, Liquorice, Bilberry, Sodium hyaluronate

USE

Children 1Y-5Y: 2 nebulizations directly into the mouth, 3 times a day.

Children from 6Y and adults: 4 nebulizations directly in the mouth, 3 times a day.

Or as advised by your doctor, up to a maximum of 6 times a day.


PROPERTIES

- Innovative formulation with high adhesiveness validated by laboratory tests: greater permanence of the active ingredients on the mucosa, with better and prolonged therapeutic efficacy.
- It relieves inflammation counteracting burning, difficulty in swallowing and the progression of different oral diseases.
- · It provides rapid action and lasting relief.
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Practical directional spout that guarantees a precise application.
- · Excellent palatability: mixed fruit flavour.
- Allergen, colorant and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS









HAMADEP® 20 SINGLE-DOSE BOTTLES





Ministry of Health code no. 164384

INDICATIONS

Recommended in case of swollen, heavy legs and capillary fragility.

BASED ON

Chestnut gemmoderivative, Orthosiphon d.e. 0.1% Sinensetin, Witch hazel d.e. 10% Tannins, Vitamin C

USF

Adults: 1 single-dose bottle a day, diluted in a glass of water (150 ml).

PROPERTIES

- Draining and purifying, with particular tropism for the blood microcirculation and lymphatic vessels: it increases capillary resistance and elasticity, attenuating the typical symptoms of venous insufficiency.
- The **Chestnut gemmoderivative** acts on the lymphatic vessels, performing an anti-edemigenous and decongestant action, promoting deep drainage and reducing lymphatic engorgement, especially in the lower limbs, helping to significantly relieve the sensation of heavy legs.
- **Witch hazel** has a phlebotonic action on the venous circulation and is useful for treating varicose veins and hemorrhoids.
- Orthosiphon promotes increased diuresis, helping to eliminate excess fluids through renal activity.
- Vitamin C exerts an important antioxidant and vasoprotective action, strengthening and maintaining the elasticity of blood vessels and improving venous tone.
- · Excellent palatability: sweet flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: DIETOLOGY • ESTHETIC MEDICINE AND SURGERY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY

INFLUPROP® NASAL SPRAY







INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Concentrated seawater, Sodium hyaluronate, Echinacea, Pot marigold, Copper gluconate

USE

Children from 1Y: 1 nebulization per nostril, 3 times a day. **Adults:** 1-2 nebulizations per nostril, 3 times a day.

PROPERTIES

- It exerts anti-inflammatory, antiseptic and decongestant action on the nasal mucosa.
- It contains hypertonic seawater (~800 m0sm/L): the hydro-saline solution cleanses the nasal cavities and removes excess mucus, promoting easier breathing. It reduces nasal symptoms more effectively than isotonic seawater.
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Excellent tolerability for mucous membranes: it does not irritate and is also ideal for prolonged therapies.
- Practical no-gas bottle with ergonomic, non-invasive nozzle, designed to deliver a fine mist that effectively reaches deep into the nasal cavities.
- Alcohol, allergen and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS • ALLERGOLOGY



INFLUPROP® C 20 OROSOLUBLE STICKS





Ministry of Health code no. 80643

INDICATIONS

Recommended for common cold prevention and treatment. It favours the natural defenses of the body and correct functionality of the upper respiratory tract.

BASED ON

Vitamin C, Acerola d.e. 50% Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides

Adults: 1 orosoluble stick a day.

PROPERTIES

- It performs a shock action in all states of particular debilitation of the body and supports the immune defenses as a prevention or in case of ongoing infections.
- It contains 500 mg of Vitamin C/stick.
- **Echinacea** contains echinacoside and polysaccharides, that inhibit bacterial proliferation in host tissues, activate and strengthen the immune system by increasing the body's resistance against viral and bacterial infections.
- · Practical fast absorption orosoluble sticks.
- Excellent palatability: orange flavour.
- · Allergen, colorant and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY

LACTODEP® 30 CAPSULES





Ministry of Health code no. 4861



INDICATIONS

Recommended to rebalance the intestinal bacterial flora.

BASED ON

Folic acid; **Probiotics:** *Bifidobacterium Lactis* BI-04, *Lactobacil*lus rhamnosus GG, Lactobacillus bulgaricus Lb-87; Group B vitamins

Adults: 1 capsule, twice a day, away from meals.

PROPERTIES

- The combination of **Probiotics** and **Group B vitamins**, with their energizing and immunomodulating activity, guarantees a greater tonic-adaptogenic effectiveness.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: 3.5 billion CFUs/capsule.
- · Vegetable origin capsules coating to ensure greater stability of probiotics (less AW - Water Activity).
- In aluminum blister with protective atmosphere designed to ensure the vitality of probiotics.
- It does not need to be stored at low temperatures.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • ALLERGOLOGY









LACTODEP® JUNIOR

8 SINGLE-DOSE BOTTLES





Ministry of Health code no. 70780



INDICATIONS

Indicated to rebalance and strengthen the intestinal bacterial flora of children and counteract antibiotic therapy dysbiosis, bowel irregularities and skin manifestations (dermatitis).

BASED ON

Probiotics: BRR KIDS 500°: mixture of *Bifidobacterium lactis* BI-04, *Lactobacillus rhamnosus* Lr-32, *Lactobacillus reuteri* Lr-92

USE

Children from OM: 1 single-dose bottle a day.

Use the dropper included in the package to take the required amount and screw it back onto the bottle after use. Store at room temperature and consume within 8 hours after opening $(1 \text{ single-dose bottle} \sim 10 \text{ droppers})$.

Treatment cycles of at least 10 days are recommended, to be repeated several times during the year.

PROPERTIES

- Multispecies-multistrain probiotics resistant to gastric pH and bile salts: 5 billion CFUs/single-dose bottle.
- The aqueous solution facilitates the transmission of the probiotic.
- The aqueous solution provides the body with the already active probiotic: once dispersed in water, the metabolic reactions of the microorganism starts, favouring speed of action inside the organism (useful in case of diarrhea).
- Practical single-dose bottles ensure quality and stability: probiotics are kept separated from the aqueous solution to preserve their vitality and functionality and are reconstituted in the aqueous solution just before use.
- Equipped with a dropper to facilitate product administration in younger children.
- It does not need to be stored at low temperatures.
- Excellent palatability: apricot flavour (hypoallergenic aroma), children love its taste.
- · Allergen and colorant free.

THERAPEUTIC AREAS: NEONATOLOGY • PEDIATRICS • PEDIATRIC GASTRO-ENTEROLOGY

LAXODEP® 30 CAPSULES



æ

Ministry of Health code no. 9659

INDICATIONS

Recommended in case of constipation, to promote the regular intestinal transit.

BASED ON

Senna d.e. 7% Sennosides, Frangula d.e. 8% Glucofrangulin, Fennel d.e. 1% Essential oil, Mallow d.e. 30% Polysaccharides, Glycine, Vitamin B12

USE

Adults: 2 capsules a day, preferably in the evening before bedtime.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastrointestinal muscles.
- Excellent dosage for a great effectiveness without causing irritation to the gut.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • GERIATRICS • DIETOLOGY



LAXODEP® ORAL SOLUTION



150 ml

Ministry of Health code no. 15234



INDICATIONS

Recommended in case of constipation, to promote the regular intestinal transit.

BASED ON

Prune juice, Manna ash powder, Lemon balm d.e. 2% Rosmarinic acid, Mallow d.e. 30% Polysaccharides, Chamomile d.e. 0.3% Apigenin, Sweet orange Essential oil, Fennel Essential oil

USE

Children 1Y-3Y: 5 ml a day. **Children 4Y-6Y:** 7.5 ml a day. **Children 7Y-12Y:** 10 ml a day.

Adults: 20 ml a day.

Take preferably in the evening before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastrointestinal muscles.
- Ideal dosage for maximum effectiveness without causing irritation to the gut.
- · Excellent palatability: sweet flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • DIETOLOGY • GERIATRICS • PEDIATRICS

LOWDEP® 30 TABLETS



0

Ministry of Health code no. 32323

INDICATIONS

Recommended for the treatment of depressive and anxiousdepressive syndromes, particularly in case of emotional instability, seasonal changes, stress and trauma, iatrogenic origin.

BASED ON

L-Tryptophan, Passionflower d.e. 3.5% Vitexin, Hawthorn d.e. 3% Vitexin, Valerian d.e. 0.8% Valerenic acids, Scutell'up® - Scutellaria d.e. 85% Baicalin, Saffron d.e. 5% Crocin, Vitamin B6

USE

Adults: 1 tablet a day.

PROPERTIES

- It boosts serotonin while regulating cortisol (which affects anxiety and depression and is a resistance factor to antidepressants).
- It promotes the synthesis, release and presence of serotonin in the synaptic cleft, thanks respectively to L-Tryptophan + Vitamin B6 (precursor + enzymatic cofactor), Vitexin from Passionflower and Hawthorn (desensitizer of the autoreceptor 5-HT1A limiting the release of serotonin) and Saffron (inhibitor of synaptic reuptake).
- It normalizes the production and release of cortisol, thanks to Scutell'up®, Scutellaria extract particularly rich in Baicalin that acts directly on the hypothalamic-pituitary-adrenal axis.
- It favors a state of relaxation without negatively impacting on the depressive state, thanks to low-dosage Valerian.
- Both suitable as a monotherapy and as an adjunct to pharmacological treatment in difficult or unresponsive patients.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: PSYCHIATRY • DIETOLOGY









MELACRON® 30 TABLETS



Ministry of Health code no. 47552

INDICATIONS

Recommended to promote sleep in a physiological way, favouring a regenerating sleep without nocturnal awakenings. It helps to relieve the symptoms of jet lag.

BASED ON

L-Tryptophan, Glycine, Vitamin B3, Vitamin B6, Melatonin MINIACTIVES® Retard (Melatonin)

USE

Adults: 1 tablet a day, just before bedtime.

PROPERTIES

- Controlled-release and highly available Melatonin, in association with Glycine, L-Tryptophan, Vitamin B3 and Vitamin B6: they actively work to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. They reduce movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- It contains Melatonin MINIACTIVES® Retard, which uses MINIACTIVES® technology to ensure a constant and gradual release of melatonin over time. Its absorption is not affected by changes in pH, gastro-intestinal motility, presence of food, promoting greater bioavailability.
- L-Tryptophan, Serotonin and Melatonin precursor, improves mood and counteracts anxiety, reducing latency when falling asleep, night awakenings and promoting a restful sleep.
- **Glycine** promotes deeper sleep during the earliest phase.
- Vitamin B3 supports the conversion of tryptophan into 5-HTP (5-hydroxytryptophan) and, therefore, into Serotonin, essential for a peaceful and restorative sleep.
- **Vitamin B6** is involved in the synthesis of the main neurotransmitters (serotonin and GABA) that regulate sleep.
- In vitro tests show the constant and gradual release of Melatonin at
- It does not affect the state of vigilance and guarantees a restful sleep.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • PAIN THERAPY • CARDIOLOGY

MELACRON® JUNIOR

DROPS



Ministry of Health code no. 167621



INDICATIONS

Recommended in case of sleep disorders in neurotypical and neurodivergent children but also as an adjuvant for the treatment of pain and for the preparation of neuroradiology diagnostic procedures.

BASED ON

Melatonin, L-Glycine, L-Tryptophan

USE

Children from OM: 0.5 ml a day (1 dropper), directly in the mouth or diluted in beverages or food.

PROPERTIES

- Melatonin, Glycine and Tryptophan favor the physiological chronobiological rhythm of the organism and improve daytime cognitive and behavioral performance associated with better sleep, especially in neurodivergent children.
- They actively work in the treatment of **pain**, a symptom of various conditions such as **irritable bowel syndrome (IBS)**, post-operative pain and different types of migraines and headaches, especially chronic.
- Also useful in preparation for pediatric neuroradiology diagnostic procedures (EEG, ABR, MRI): it limits the use of sedatives, optimizing the execution of the diagnostic procedure.
- It does not affect mental alertness and is not addictive.
- Practical vial with internal dropper: graduated pipette with raised notch,
- Excellent palatability: raspberry flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • CHILD NEUROPSYCHIATRY



MELACRON® **ORAL SPRAY**





Ministry of Health code no. 127033

INDICATIONS

Recommended to promote sleep in a physiological way, favouring a regenerating sleep without nocturnal awakenings. It is also useful to relieve the symptoms of jet lag and in case of *pavor nocturnus* in children.

BASED ON

Melatonin

USE

Children from OM: 1 nebulization a day (0.5 mg Melatonin), preferably under the tongue, in the evening just before bedtime.

Adults: 2 nebulizations (1 mg Melatonin), preferably under the tongue, in the evening just before bedtime or when needed.

PROPERTIES

- Fast absorption and high bioavailable Melatonin: it actively works to synchronize and promote the maintenance of circadian rhythmicity, quickly induce the falling asleep phase and increase the total sleep time. It reduces movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- The **sublingual administration of Melatonin** allows to quickly reach the target tissues and perform its different functions, by-passing the first hepatic passage.
- It does not affect the state of vigilance and gives a restful sleep.
- The practical bottle, with directional dispenser, facilitates sublingual intake, nebulizing the right amount of product.
- Excellent palatability: fresh mint flavour.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • PEDIATRICS • CHILD NEURO-PSYCHIATRY • GERIATRICS • PAIN THERAPY • CARDIOLOGY

MINERALDEP® **20 SACHETS**



4.16 q

Ministry of Health code no. 89114

INDICATIONS

Recommended in case of tiredness and fatigue due to a state of mild dehydration, as in cases of excessive recurrent sweating, vomiting or diarrhea, increased diuresis and reduced fluid intake.

BASED ON

Magnesium citrate, Potassium citrate, Ribocare® (nucleotides), SuperOx-D (superoxide dismutase)

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml).

PROPERTIES

- Magnesium citrate and Potassium citrate are sources of magnesium and potassium with high bioavailability and they exert an effective remineralizing action.
- **SuperOx-D**, superoxide dismutase concentrate from carrot, exerts a powerful antioxidant and detoxyfing action.
- Ribocare®, nucleotide blend (AMP, CMP, GMP, IMP, UMP), revitalizes and invigorates the body, specially the skeletal muscles, cardiovascular system, intestine and immune system.
- The product is functional to the supplementation of a diet with increased fluid intake.
- The **nucleotides** contained in the product are pure monoribonucleotides (RNA) obtained by enzymatic hydrolysis of yeast extract, not derived from human sources and not promoters of proliferative stimuli.
- Excellent palatability: lime flavour.
- Allergen and preservative free.
- No added sugar: ideal in case of a ketogenic diet.

THERAPEUTIC AREAS: SPORTS MEDICINE • CARDIOLOGY • GERIATRICS • GASTRO-ENTEROLOGY • ORTOPEDICS









NAUSOLVIT® Drops



△ 50 m

Ministry of Health code no. 36101



INDICATIONS

Recommended in case of nausea and vomiting due to infections, chemotherapy or motion sickness.

BASED ON

Ginger d.e. 1% Gingerols

USE

Adults: 25 drops, 3 times a day, directly in the mouth or dissolved in a spoonful of water (5 ml).

PROPERTIES

- Immediate action.
- Total gastric tolerability: ideal for prolonged therapies.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Clinically tested during pregnancy: Costantino D., Guardaldi C. and A. Skrebkova. *Use of a ginger-based product* in the therapy of hyperemesis gravidarum. Phytogyn Vol. I n.2.
- Excellent palatability: ginger flavour.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GYNECOLOGY • ONCOLOGY

NAUSOLVIT® JUNIOR DROPS



△20 ml

Ministry of Health code no. 49346



INDICATIONS

Recommended in case of nausea and vomiting due to infections, chemotherapy or motion sickness.

BASED ON

Ginger SynerSHIELD™

USE

Children from 6M:

- In case of acute gastro-enteritis: 0.5 ml (1 dropper), as needed, up to 6 times a day.
- In case of motion sickness: 1.5 ml (3 droppers) before departure. Repeat the intake if necessary.
- In case of chemotherapy: 0.5 ml (1 dropper), up to 6 times a day. Take for 7 days, from 3 days before to 3 days after the chemotherapy session.

Take directly in the mouth or diluted in beverages or food.

PROPERTIES

- Ginger is extracted using SynerSHIELD™ technology that guarantees a high bioavailability of the active ingredients, stabilizes and preserves the phytonutrients of the fresh plant and supplies fructooligosaccharides which provide the extract with great nutraceutical properties, including prebiotic and bifidogenic effects, useful to rebalance the gastro-intestinal transit
- · Immediate action.
- Total gastric tolerability: ideal for prolonged therapies.
- Practical bottle with internal dropper: graduated dropper with ink-free beaded mark.
- Excellent palatability: without flavorings, with the natural taste of ginger, children love its taste.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: PEDIATRICS • ONCOLOGY



NECENIOL® PLUS 20 SACHETS





Ministry of Health code no. 83950

INDICATIONS

Recommended as an adjuvant in the treatment of peripheral neuropathies of different origins.

BASED ON

Acetyl-L-Carnitine, controlled-release alpha-Lipoic acid (MATRIS®), Coenzyme Q10

USE

Adults: 1 sachet a day, dissolved in a glass of water (200 ml). Stir for about 1 minute until a homogeneous suspension is obtained.

PROPERTIES

- It exerts a neurotrophic and antioxidant action.
- · Patented ingredients in therapeutic dosages.
- It contains controlled-release Alpha-Lipoic acid MATRIS® Multiform Administration Timed Release Ingredient System. MATRIS® Technology provides the coating of alpha-Lipoic acid particles with innovative polymeric membranes, ensuring a Fast/Retard controlled release of the active ingredient for up to 8 hours from the intake, exceeding the pharmacokinetic limits of alpha-Lipoic acid.
- The selected ingredients actively work to reduce oxidative stress and inflammation, to counteract metabolic damage, to promote nerve conduction and reduce sensory and motor disorders.
- · Therapeutic adherence assured.
- Excellent palatability: peach flavour.
- · Allergen and preservative free.

THERAPEUTIC AREAS: NEUROLOGY • ORTHOPEDICS • PHYSIATRY • DIABETOLOGY • GERIATRICS • ONCOLOGY • DERMATOLOGY GASTRO-ENTEROLOGY • PAIN THERAPY

NECENIOL® PLUS 30 TABLETS





Ministry of Health code no. 127222

INDICATIONS

Recommended as an adjuvant in the treatment of peripheral neuropathies of different origins.

BASED ON

Acetyl-L-Carnitine, controlled-release alpha-Lipoic acid (MATRIS®), Coenzyme Q10

USE


Adults: 1 or 2 tablets a day.

PROPERTIES

- It exerts a neurotrophic and antioxidant action.
- Patented ingredients in therapeutic dosages.
- It contains MATRIS® Multiform Administration Timed Release Ingredient System. MATRIS® Technology provides the coating of alpha-Lipoic acid particles with innovative polymeric membranes, ensuring a Fast/Retard controlled release of the active ingredient for up to 8 hours from the intake, exceeding the pharmacokinetic limits of alpha-Lipoic acid
- The selected ingredients actively work to reduce oxidative stress and inflammation, to counteract metabolic damage, to promote nerve conduction and reduce sensory and motor disorders.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • ORTHOPEDICS • PHYSIATRY • DIABETOLOGY • GERIATRICS • ONCOLOGY • DERMATOLOGY GASTRO-ENTEROLOGY • PAIN THERAPY







NETTARDEP® JUNIOR

10 SINGLE-DOSE BOTTLES





Ministry of Health code no. 99852



INDICATIONS

Ideal for debilitated children without appetite during changes of season, convalescence, in case of anemia and mental/physical tiredness.

BASED ON

Acacia honey, lyophilized Royal jelly 4% 10-hydroxyecenoic acid, Entolase® - Entomophilous pollen, Vitamin C

USE

Children 1Y-3Y: half a single-dose bottle a day (up to the mark on the bottle).

Children 4Y: 1 single- dose bottle a day.

Take preferably in the morning, on an empty stomach, before breakfast. It can be taken pure or diluted in water (the content of 1 bottle in 100 ml of water). Once opened, store at room temperature and use within 24 hours. Take the product for at least 30 days, at regular intervals (2 or 3 times a year).

PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
 - It contains Entolase®: a completely non-alcoholic entomophilous pollen, exclusively extracted with water.
- It contains lyophilized Royal jelly, qualitatively equivalent to fresh Royal jelly but with the advantage of having a longer storage time and a lower risk of microbiological contamination. 500 mg of freeze-dried Royal jelly correspond to 1.5 g of fresh royal jelly (ratio 1:3).
- It contains Acacia honey of EU origin.
- It is sweetened with organic agave juice, without alcohol, allergens, colorants and sweeteners.
- Excellent palatability: vanilla flavour (hypoallergenic aroma), children love its taste.

THERAPEUTIC AREAS: PEDIATRICS

NITIDEP® 20 TABLETS + 20 SOFTGELS





Ministry of Health code no. 120749

INDICATIONS

Recommended for the prevention and treatment of retinopathies, in particular in cases of post-surgical stress, uveitis and retinitis, diabetic retinopathy, age-related macular degeneration, glaucoma.

BASED ON

Softgel: Blue Fish Oil tit. 48.4% DHA

Tablet: Palmitoylethanolamide, α-Lipoic acid, Coenzyme Q10, African marigold d.e. 20% Lutein and 2.5% Zeaxanthin, Coleus d.e. 10% Forskolin, African marigold d.e. 10% Zeaxanthin

USE

Adults: 1 tablet and 1 softgel a day, in a single administration, before the main meal with a little water.

PROPERTIES

- Neurotrophic product specifically formulated for both acute and chronic retinal disorders, useful to support retinal health also in combination with pharmacological and surgical therapies.
- It supports retinal health on multiple levels thanks to the combined action of **PEA** and α-lipoic acid, which counteract underlying neuroinflammation, the structural contribution of lutein, zeaxanthin and **DHA**, the stimulation of reparative processes mediated by forskolin, and the energy supply provided by coenzyme Q10.
- DHA from blue fish oil, obtained through a technologically advanced purification process that removes oxidants, contaminants and impurities, for effective and safe action.
- Double blister packaging to preserve the stability of the active ingredients.
- Small, easy-to-swallow tablets; small softgels with no unpleasant fish aftertaste.
- · Preservative, sweetener and added sugar free.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: OPHTHALMOLOGY



OSSIDREN® 30 TABLETS





Ministry of Health code no. 57161



INDICATIONS

Recommended in case of tiredness and fatigue, sport activities, stress and unbalanced diets.

BASED ON

Calcium, Vitamin C, Coenzyme Q10, Group B Vitamins, Vitamin E, Pido-Zinc® Zinc pidolate, L-Glutathione, Tagete d.e. 20% Lutein, Silicon, Vitamin A, Folic acid, Vitamin K1, Selenium, Vitamin D3

IISF

Adults: 1 tablet a day, preferably in the morning, on a full stomach.

PROPERTIES

- Multivitamin and multimineral blend with a strong antioxidant action
- **Coenzyme Q10, Glutathione, Vitamin C** and **E** provide strong protection against free radicals.
- **Group B vitamins** support cellular energy metabolism.
- The synergistic action of Lutein, Vitamin A, B2 and Zinc supports eye wellbeing and normal visual function.
- The combination of Calcium, Silicon, Vitamin C, D3 and K1 helps keep bones healthy and strengthens tendons and ligaments.
- Contains **Pido-Zinc**®, a highly bioavailable form of zinc pidolate.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • SPORTS MEDICINE • GERIATRICS • GENERAL SURGERY • OPHTHALMOLOGY

OSTEOTEND® COMPLEX

20 SACHETS





Ministry of Health code no. 31028

INDICATIONS

Recommended in case of acute and chronic tendinopathy, in pre- and post-surgical care. It is a valuable rehabilitation support.

BASED ON

Arginine alpha-ketoglutarate, Bromelain, OptiMSM® (Methylsulfonylmethane), SuperOx-D® (superoxide dismutase), Tendoforte® (hydrolyzed collagen peptides) Vitamin C

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), away from meals.

PROPERTIES

- Complete and fast-acting formula designed to treat tendinopathies and muscle-tendon overuse conditions: it supports tendon trophism and structure, counteracts inflammation, reduces edema, and promotes healthy tendon metabolism.
- It contains **Tendoforte**®: highly purified bioactive hydrolyzed collagen peptides with high tendon tropism. They stimulate the synthesis of new extracellular matrix, strengthen ligaments and tendons, and improve their functionality.
- It contains OptiMSM®: Methylsulfonylmethane in its purest form. It reduces oxidative stress and muscle-tendon pain related to physical activity.
- It contains SuperOx-D: superoxide dismutase useful to counteract oxidative stress.
- Arginine alpha-ketoglutarate, a direct precursor of nitric oxide, promotes healing of damaged tendons.
- Bromelain performs an important anti-edema action.
- **Vitamin C** contributes to collagen synthesis and provides antioxidant protection.
- · Excellent palatability: orange and lemon flavour.
- · Allergen and preservative free.

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE









POLIDEP® 20 DRINKABLE STICKS





Ministry of Health code no. 1779

INDICATIONS

Recommended to deeply detoxify and purify the body in case of controlled diet, metabolic accumulation (e.g. hyperuricemia), pharmacological load or washout, seasonal changes, or skin disorders.

BASED ON

Juniper, SynerSHIELD™ blend of plant extracts: Burdock, Artichoke, Milk thistle, Carrot, Chicory, Kola, Cumin, Fennel, Gentian, Liquorice, Rosemary, Dandelion, Green tea, Ginger

USE

Adults: 1 drinkable stick a day, pure or diluted in 500 ml of water to drink during the day.

PROPERTIES

- It exerts a powerful detoxifying action: it actively targets liver, kidneys, gut and skin, enhancing their physiological functions.
- The SynerSHIELD™ extraction technology ensures high bioavailability of the active ingredients, stabilizes and preserves the phytonutrients of the fresh plant, and provides fructooligosaccharides which contribute to its nutraceutical value, including prebiotic and bifidogenic effects.
- Practical drinkable sticks.
- Excellent palatability: orange flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: DIETOLOGY • DERMATOLOGY • ONCOLOGY • ALLERGOLOGY • GASTRO-ENTEROLOGY • CARDIOLOGY • GENERAL SURGERY ORTOPEDICS • SPORTS MEDICINE • GERIATRICS

PROSTADEP® 30 CAPSULES



æ

Ministry of Health code no. 971

INDICATIONS

Recommended in case of benign prostatic hypertrophy and prostatitis of various etiology.

BASED ON

Saw palmetto d.e. 45% Fatty acids, Orthosiphon d.e. 0.1% Sinensetin, Selenium L-Methionine

ISF

Adults: 1 capsule a day. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- It does not alter PSA values.
- It **does not alter the systemic hormonal picture**, does not cause erectile dysfunction, decrease in libido or other sexual issues.
- · It is well tolerated.
- The presence of **Orthosiphon** promotes an increase in diuresis and a decrease in the rate of bacterial infections and urinary tract inflammations.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • ANDROLOGY



>> **NEW PROSTADEP® FLOGO** 20 SOFTGELS



00

Ministry of Health code no. 194933

INDICATIONS

Recommended in cases of severe benign prostatic hyperplasia (BPH) and chronic inflammatory prostatitis.

BASED ON

Serenoa repens (lipid-sterolic extract obtained by supercritical CO₂), Graminex® G63® (rye pollen extract), Teupol 25P® (Ajuga reptans extract)

SEVERE BPH: 1 softgel per day. **CHRONIC INFLAMMATORY PROSTATITIS:**

- Maintenance phase: 1 softgel per day.
- Acute phase: 2 softgels per day for 20 days, then continue with 1 softgel per day.

Take preferably on a full stomach.

PROPERTIES

- Formulated with Graminex® G63®, Teupol 25P®, and Serenoa repens for a synergistic antiandrogenic, anti-inflammatory, antioxidant, and spasmolytic action.
- Supports prostate health in cases of severe benign prostatic hyperplasia (BPH) and chronic inflammatory prostatitis.
- The combined action of **Serenoa repens** and **Teupol 25P®** regulates hormonal metabolism, counteracts the proliferative effect of dihydrotestosterone (DHT), and helps modulate prostate volume increase, even in advanced stages of severe BPH.
- **Graminex® G63®** and **Teupol 25P®** reduce inflammation, relieve pelvic pain, and protect prostate cells from oxidative stress caused by free radicals, promoting urinary well-being and proper prostate function.
- The **lipid-sterolic** extract of **Serenoa repens**, obtained through supercritical CO₂ extraction, is recognized as the gold standard for BPH due to its high purity, bioavailability, and safety. It inhibits **5α-reductase**, reduces **DHT** production, and antagonizes intraprostatic receptors, contributing to the slowdown of prostate volume growth.
- **Graminex® G63®**, an allergen-free standardized pollen extract, has anti-inflammatory, antioxidant, and spasmolytic properties. It reduces the production of pro-inflammatory molecules and alleviates pelvic pain, improving the quality of life in patients with chronic inflammatory prostatitis.
- Teupol 25P®, a biotechnological extract of Ajuga reptans, is standardized to 25% teupolioside, a flavonoid with indirect antiandrogenic action that inhibits **5α-reductase** and enhances the effect of **Serenoa repens**. It also has a strong antioxidant effect, protecting against oxidative stress responsible for chronic inflammation and prostate dysfunction.
- Documented efficacy and safety, supported by scientific studies published in peer-reviewed journals.
- Highly tolerable, suitable for long-term use without systemic hormonal interference.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • ANDROLOGY







>> NEW SOFTGEL

>> NEW PACK SIZE

PROSTADEP® PLUS

30/60 SOFTGELS



00

Ministry of Health code no. 37124

INDICATIONS

Recommended in cases of benign prostatic hyperplasia (BPH)

BASED ON

Serenoa repens (lipid-sterolic extract obtained by supercritical CO₂) and natural lycopene with high prostate tropism

USE

MILD TO MODERATE BPH: 1 softgel per day. Take preferably on a full stomach

PROPERTIES

- Therapeutic dosages: lipid-sterolic extract of Serenoa repens
 obtained by supercritical CO₂ extraction, with a high fatty acid
 content (450 mg/softgel), and naturally sourced Lycopene (4
 mg/softgel).
- The softgel pharmaceutical form ensures better compliance thanks to its small size and lack of aftertaste. It also offers optimal protection of the active ingredients from oxidation and provides an ideal concentration of free fatty acids for superior therapeutic efficacy.
- The lipid-sterolic extract of Serenoa repens obtained by supercritical CO₂ extraction is recognized as the gold standard for BPH due to its high purity, bioavailability, and safety. It inhibits 5α-reductase, reducing DHT production, and antagonizes intraprostatic receptors, helping to slow the increase in prostate volume.
- Natural Lycopene guarantees higher bioavailability compared to synthetic forms, thanks to the presence of co-extracted compounds that enhance absorption and boost antioxidant activity.
- Well tolerated.
- Does not alter PSA levels.
- Does not affect systemic hormone levels and does not cause erectile dysfunction, reduced libido, or other sexual side effects
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • ANDROLOGY

PYRODEP® 24 CHEWABLE TABLETS

Pure detr



Ministry of Health code no. 76102

0

INDICATIONS

Recommended in all cases of gastric hyperacidity and related disorders: digestive difficulties, meteorism, gastritis.

BASED ON

Calcium carbonate, Magnesium, Liquorice d.e. deglycyrrhizinated <2% Glycyrrhizic acid, Fennel d.e 1% Essential oil, Mallow d.e. 30%Polysaccharides, Chamomile d.e. 0.3% Apigenin

USI

Adults: 1 tablet a day, to be chewed or dissolved in the mouth, 20-60 minutes after the main meals and/or when needed.

PROPERTIES

- With anti-acid and soothing activity, it neutralizes gastric hyperacidity
 and promotes mucus secretion, preventing damage
 and allowing quicker healing of irritated tissue. It also has
 anti-inflammatory effects on the mucosa and supports gastric
 motility, optimizing digestion.
- Practical chewable tablets. Chewing or slow dissolution is functional
 to the release of the active ingredients directly inside the mouth: this
 allows them to perform their function from the most proximal
 portions of the esophagus to the gastric mucosa.
- The presence of deglycyrrhizinated liquorice allows its use during pregnancy.
- Excellent palatability: jelly flavour.
- · Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • GYNECOLOGY



>> NEW REUMADEP® 45 CAPSULES



tension, promoting joint mobility. BASED ON

INDICATIONS

Boscurin® (Boswellia and Turmeric), Feverfew

Recommended in cases of arthritis and rheumatic

pain to help counteract inflammatory processes and

pain affecting the musculoskeletal system. It also

helps to relieve stiffness and localized muscle

USE

Adults: 1 or 2 capsules a day.

PROPERTIES

- Acts on chronic and low-grade inflammation to relieve pain associated with rheumatic and arthritic conditions, improving quality of life.
- Boscurin®: patented combination with anti-inflammatory and analgesic action, effective in managing chronic musculoskeletal pain.
- Feverfew, grown in vertical farms, offers a high content of parthenolides—molecules capable of modulating inflammatory processes and pain perception at their origin.
- Provides rapid, comprehensive efficacy without side effects.
- Safe: it contains a low dose of Turmeric, within the safety limits established by EFSA (European Food Safety Authority).
- Excellent gastric tolerability: ideal for long-term use.
- Allergen, preservative and sweetener free. No added sugar.

æ

THERAPEUTIC AREAS: RHEUMATOLOGY • TRAUMATOLOGY • ORTHOPEDICS • PHYSIATRY

>> NEW REUMADEP®



☐ 50 ml MEDICAL DEVICE C €

INDICATIONS

Topical medical device ideal for relieving pain, swelling, and a sensation of heat in joints affected by arthritis and rheumatic conditions.

BASED ON

Camphor, Cannabidiol (CBD), Menthol

USE

Adolescents from 14Y and adults: apply the gel several times a day as needed. Massage in circular motions for 1-2 minutes or until fully absorbed.

PROPERTIES

- · Topical-use medical device.
- Helps reduce chronic and low-grade inflammation and relieve pain associated with rheumatic conditions.
- Its localized action effectively reduces muscle tension and soothes inflamed areas, providing immediate relief.
- Provides a refreshing effect that helps alleviate the sensation of heat in the joints.
- The fast-absorbing formula facilitates massage and speeds up the absorption of active ingredients.
- Non-greasy and non-sticky.
- Formulated without: colorants, parabens, petrolatum, silicones, and fragrance.

THERAPEUTIC AREAS: RHEUMATOLOGY • TRAUMATOLOGY• ORTHOPEDICS • PHYSIATRY • SPORTS MEDICINE

ROYALDEP® 20 Drinkable Sticks



10 ml Ministry of Health code no. 116143

INDICATIONS

Recommended in cases of chronic and pathological asthenia, nutritional deficiencies, convalescence, and post-surgical recovery.

BASED ON

Fermented papaya, Royal jelly, Acacia honey, Siberian ginseng d.e. 0.8% Eleutherosides and 10% Saponosides

USE

Adults: 1 drinkable stick a day, preferably in the morning.

PROPERTIES

- Pro-energetic with immediate action and high nutritional and energetic power, useful in case of severe asthenia and organic deterioration.
- Triple action: tonic, restorative and immunostimulant, it provides fast release physical and mental energy.
- · High doses of active ingredients.
- Antioxidants enriched formula.
- It contains Acacia honey of EU origin.
- · Practical drinkable sticks.
- Excellent palatability: orange flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: GERIATRICS • ONCOLOGY • DIETOLOGY • NEUROLOGY • PSYCHIATRY • GENERAL SURGERY









THIVYBRON

ORAL SOLUTION



INDICATIONS

Recommended for common colds and disorders of the upper respiratory tract treatment. Effective against wet and/or dry cough.

BASED ON

Wildflower honey, Thyme d.e. 0.5% Essential oil, Ivy d.e. 10% Hederacoside C

USE

Adults: 10 ml, twice a day.

PROPERTIES

- Formulated to protect and moisturize the mucous membrane of the respiratory tract.
- It calms wet and dry cough, without altering the physiological and therapeutic expectorant activity.
- It prevents any form of infectious outbreak.
- · Immediate relief.
- It contains Wildflower honey of EU and NON-EU origin.
- · Allergen, colorant and sweetener free.

🔓 150 ml

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY

THIVYBRON JUNIOR

ORAL SOLUTION



BASED ON Wildflower

cough.

INDICATIONS

Wildflower honey, Ivy d.e. 10% Hederacoside C, Thyme d.e. 0.5% Essential oil

Recommended for common colds and disorders of the upper

respiratory tract treatment. Effective against wet and/or dry

USE

Children 2Y-3Y: 2.5 ml, twice a day. Children 4Y-6Y: 5 ml, twice a day. Children 7Y-12Y: 7.5 ml, twice a day.

PROPERTIES

- Formulated to protect and moisturize the mucous membrane of the respiratory tract.
- It calms wet and dry cough, without altering the physiological and therapeutic expectorant activity.
- It prevents any form of infectious outbreak.
- Immediate relief.
- It contains Wildflower honey of EU and NON-EU origin
- · Allergen, colorant and sweetener free.

120 ml



THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS

TUSSODEP® AEROSOL



10 single-dose vials | 3 ml CLASS II MD C € 0425

INDICATIONS

Recommended for the decongestion, cleansing, and protection of both upper and lower respiratory tracts.

BASED ON

Lemon balm, Perilla and Thyme extracts, Hyaluronic acid, Hypertonic solution 2%

USE

Adults: 1 vial, 1-2 times a day, undiluted.

PROPERTIES

- 2% hypertonic solution with decongestant and fluidifying action; hyaluronic acid sodium salt 800 kDa with anti-inflammatory and protective action; Lemon balm, Perilla and Thyme extracts with antioxidant and antimicrobial action.
- Sterile, ready-to-use vials suitable for both piston and ultrasonic nebulizers.
- · Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY



TYNDAFLOR® VAGINAL DOUCHE

5 SINGLE-DOSE BOTTLES



[≜]140 ml

CLASS II MD C € 1370

INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

α-Bisabolol, Chlorhexidine 0.2%, IMMUNOBLEND- mixture of tyndallized milk ferments (*Lactobacillus acidophilus* - SD5212, Lactobacillus casei - SD5213, Lactobacillus plantarum - SD5209, Streptococcus termophilus - SD5207), Lactic acid

Adults: 1 vaginal douche a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- Single-use non-sterile solution for intimate hygiene, based on tyndallized milk ferments plus soothing and antioxidant active ingredients.
- In practical Single-use bottles with extractable rotating and tilting nozzle, which avoids accidental shocks and uniformly dispenses the gynecological solution.
- Allergen free.

THERAPEUTIC AREAS: GYNECOLOGY

TYNDAFLOR®

10 VAGINAL SUPPOSITORIES



CLASS II MD C € 1370

INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

aMMUNOBLEND- mixture of tyndallized milk ferments (Lactobacillus acidophilus - SD5212, Lactobacillus casei -SD5213, Lactobacillus plantarum - SD5209, Streptococcus termophilus - SD5207), Lactic acid, Pot marigold, SunfiberR -Guar gum, Vitamin A, Vitamin E

USE

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- · They contain tyndallized milk ferments plus prebiotics, soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- Allergen and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY









>> **NEW**

UNCADEP® AEROSOL

AVAILABLE IN TWO FORMATS: 10 AND 20 SINGLE-DOSE VIALS





CLASS II DM C € 0426

Compliant with the new Regulation (EU) 2017/745 on Medical Devices (MDR)

INDICATIONS

Recommended for the management of symptoms associated with acute and chronic respiratory tract conditions: cough, mucus hypersecretion, dyspnea. Also useful in cases of hoarseness, vocal cord inflammation, flu-like syndromes, reflux-related issues, and postoperative care in ENT.

BASED ON

N-acetylcysteine 6%, sodium hyaluronate

USE

Children from 2 years and adults: 1 single-dose vial per nebulization session, 1–2 times daily for 5–10 days.

PROPERTIES

- Class IIb medical device compliant with Regulation (EU) 2017/745 on Medical Devices (MDR).
- Fast-acting mucolytic in sterile hypertonic solution for nebulization, containing N-acetylcysteine and hyaluronic acid, indicated for acute or chronic respiratory conditions with dense and viscous mucus hypersecretion.
- N-acetylcysteine 6% exerts a mucolytic effect, liquefying mucus and facilitating expectoration by breaking disulfide bonds.
- Hyaluronic acid hydrates and protects the mucosa, reduces irritation, limits dehydration, and regulates viscosity for uniform aerosolization.
- Available in 10 or 20 single-dose vial polypropylene packaging for practicality and safety compared to glass.
- Suitable for use with piston or ultrasonic nebulizers.
- Clinically evaluated efficacy in patients with COPD.
- Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

UNCADEP® 600 20 SACHETS





Ministry of Health code no. 60124

INDICATIONS

Recommended in all cases of catarrhal disease of the upper and lower respiratory tract and otorhinolaryngological system. Particularly indicated in case of COPD (Chronic Obstructive Pulmonary Disease) and acute otitis media.

BASED ON

N-Acetylcysteine, Bromelain, Vitamin C

IISE

Adults: 1 sachet per day, dissolved in a glass of water (150 ml), away from meals.

Adults with COPD (GOLD guidelines): 1 sachet, dissolved in a glass of water (150 ml), twice a day, away from meals.

PROPERTIES

- It exerts effective mucolytic and anti-inflammatory action, dissolving phlegm and clearing the respiratory tract.
- The presence of NAC promotes increased mucociliary clearance and expectoration, fluidifying the mucus.
- Bromelain has an important anti-inflammatory and anti-edema action.
- In association with antibiotic therapy, it boosts its effectiveness.
- Vitamin C provide an important defense against free radicals.
- · Excellent palatability: orange flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY



UNCADEP® ATTOFERRINA **20 CAPSULES**



æ

Ministry of Health code no. 15236

INDICATIONS

Recommended for the prevention and treatment of viral, bacterial, and fungal infections.

BASED ON

Lactoferrin, Resveratrol, Zinc

Adults: 1 capsule a day for 20-30 days; periodic cycles as needed and as directed by a physician.

PROPERTIES

- Complete formula for a shock action with a wide range immune protection: it exerts immunoregulatory, anti-inflammatory and antioxidant activity.
- It counteracts ongoing infections and prevents flare-ups (overinfection, bronchitis, pneumonia).
- It prevents the degeneration of respiratory diseases into acute respiratory distress syndrome (ARDS).
- It reduces inflammation levels by limiting respiratory tract tissue injury, preventing fibrotic phenomena.
- Lactoferrin supports the immune system, exerts anti-bacterial and anti-viral action, and regulates iron absorption and metabolism, by removing it from the bacteria that use it as a growth substrate.
- **Zinc** is a physiological modulator of the immune system: it assists its functioning by supporting different aspects of both innate and adaptive immunity.
- **Resveratrol** inhibits the production of free radicals in response to infections of pathogens and plays a fundamental anti-viral action.
- Preservative, sweetener and colorant free. No added sugar.
- Gluten free.
- Naturally lactose free.
- It contains Lactoferrin, a milk derivative.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PNEUMOLOGY

UNCADEP® IMMIINO 30 CAPSULES



æ

Ministry of Health code no. 103802

INDICATIONS

Recommended for the prevention and treatment of viral, bacterial, and fungal infections.

Yestimun® Beta-glucans, Quercetin, Vitamin D3, Pido-Zinc® Zinc pidolate

Adults: 1 capsule a day for 20-30 days; periodic cycles as needed and as directed by a physician.

PROPERTIES

- Provides broad-spectrum immune protection: rich in immunomodulating active ingredients.
- Branded and clinically tested ingredients at therapeutic dosages.
- Yestimun® beta-glucan: an anti-inflammatory and immunomodulating prebiotic. Branded, highly purified ingredient, Novel Food approved, GRAS (Generally Recognized as Safe). Its clinical efficacy is supported by a randomized, double-blind, placebo-controlled trial showing its ability to reduce the number of episodes, average duration, and symptoms of the common cold. It also stimulates both innate and adaptive immune responses.
- **Quercetin**: supports the prevention or reduction of tissue damage severity. It modulates the inflammatory response by acting on multiple levels of the arachidonic acid cascade. It strengthens the immune system by enhancing the cytolytic activity of natural killer (NK) cells, stimulating neutrophil chemotaxis toward pathogens/ inflammatory stimuli, and promoting lymphocyte proliferation. It counteracts viral infections on multiple levels.
- Contains **Pido-Zinc**®, a highly bioavailable form of zinc pidolate.
- Vitamin D3 and zinc are physiological modulators of the immune system: they help coordinate its proper functioning by supporting both innate and adaptive immune responses.
- Allergen, preservative, sweetener and colorant free. No added sugar.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PNEUMOLOGY









UNCADEP® ORAL SOLUTION



150 ml

Ministry of Health code no. 15238



INDICATIONS

in case of mild and occasional chesty and/or dry cough.

BASED ON

Honey, Cat's claw d.e. 3% Oxindole alkaloids, Propolis hydro-alc. e., Marshmallow d.e., Iceland moss d.e., Thyme aq. e., Chestnut glycerine macerate, Echinacea hydroglyceric e., Thyme d.e. 0.5% Essential oil, Sundew d.e., Resveratrol

USE

Children 1Y-3Y: 5 ml, twice a day. Children 4Y-6Y: 7.5 ml, twice a day. Children 7Y-12Y: 10 ml, twice a day. Adults: 20 ml, twice a day.

PROPERTIES

- In case of retro-nasal cough: promotes the hydration of the mucus and promotes its elimination without altering the physiological expectorant action of the cough.
- In case of pharyngeal rubbing cough: it forms a protective film in the pharyngeal level, reducing coughing. It contains Wildflower honey of EU origin.
- Excellent palatability: orange flavour.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS

UNCADEP® SED

20 DRINKABLE STICKS



15 ml

Ministry of Health code no. 159014

INDICATIONS

Recommended for the treatment of dry cough, whether acute or persistent, regardless of its cause.

BASED ON

Honey, Red poppy, Ivy, Iceland moss, Plantain, Sundew, deglycyrrhizinated Liquorice, Propolis

ISF

Adults: 1 or 2 drinkable sticks a day.

PROPERTIES

- Natural antitussive with both peripheral and central activity for a comprehensive action.
- Honey and propolis help prevent and fight respiratory tract
 infections; polysaccharides from ivy, moss and plantain create a
 protective and moisturizing film over the mucosa. Liquorice extract
 helps reduce inflammation, while sundew exerts an antispasmodic
 effect, easing cough spasms.
- Red poppy extract acts on the central nervous system, modulating the cough reflex via a mild action on the cough center in the brainstem.
- **20 drinkable sticks of 15 ml**: higher total product volume than the market average.
- Excellent palatability: honey flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • OTORHINO-LARYNGOLOGY • PNEUMOLOGY



VESTANOL® 30 CAPSULES





Ministry of Health code no. 92199

INDICATIONS

Recommended for the treatment of tinnitus and dizziness. It promotes microvascular efficiency and counteracts damage caused by free radicals.

BASED ON

Ginkgoselect® Plus Phytosome® d.e. 7% Ginkgoflavonglucosides and 2% Ginkgoterpenes, Hawthorn d.e. 3% total Flavonoids as Vitexin, Ginger d.e. 1% Gingerols, Orthosiphon d.e. 0.1% Sinensetin, Pido-Zinc® - Zinc pidolate, Resveratrol, Vitamin B3, Copper gluconate, Vitamin B2, Vitamin B6

USE

Adults: 1 capsule a day, preferably in the evening before bedtime.

PROPERTIES

- The complete formula counteracts vascular and oxidative damage to the vestibular system. It also reduces feelings of nausea, anxiety, tachycardia and related sleep disorders.
- It contains Ginkgoselect® Plus Phytosome®: blend of Ginkgoflavonglucosides and Ginkgoterpenes useful to counteract circulatory deficits, that can affect the hearing system, reducing hum, tinnitus and dizziness. Phytosome® is a patented delivery system that increases bioavailability of the active ingredient, improving its effectiveness and duration of action.
- It contains Pido-Zinc®, highly bioavailable Zinc pidolate.
- Orthosiphon exerts a double activity: anti-inflammatory and diuretic, useful in case of lymphatic and/or perilymphatic hydrops.
- **Ginger** has an antiemetic action.
- Hawthorn performs an anxiolytic, chronotropic and negative batmotropic action; it is useful to reduce anxiety, tachycardia and promote night rest.
- Copper and B group vitamins have an important antioxidant action and modulate the cochlear synaptic function (glutamate recovery).
- Resveratrol inhibits the production of free radicals, in particular along the auditory pathway, exerting simultaneously an antioxidant and anti-inflammatory activity.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • NEUROLOGY

VITADEP® 30 TABLETS



4

Ministry of Health code no. 167192

INDICATIONS

Recommended in cases of physical and/or mental fatigue, stress, sports activity, and in all cases of malabsorption and poor nutrition.

BACED ON

Group B vitamins, Vitamin C, Vitamin D, Vitamin E, Manganese, Copper, Selenium, Zinc, L-theanine

USE

Adults: 1 tablet a day, preferably in the morning.


PROPERTIES

- Group B vitamins play a key role in energy metabolism: they are essential for converting carbohydrates into glucose and for the metabolism of lipids and proteins.
- **Vitamins B1, B6** and **B12** contribute to the normal functioning of the nervous system.
- Vitamins C and D, as well as Copper, Selenium, and Zinc, support the normal function of the immune system and, together with Vitamin E, help protect cells from oxidative stress.
- Vitamins C and D3 support bone health and help strengthen tendons and joints.
- Theanine is considered one of the most powerful natural adaptogens: it helps counteract both physical stress-by reducing the general sense of fatigue-and mental stress-by improving focus and cognitive performance.
- Allergen, preservative and sweetener free.

THERAPEUTIC AREAS: DIETOLOGY • GENERAL SURGERY • GERIATRICS • ORTHOPEDICS • SPORTS MEDICINE • GASTRO-ENTEROLOGY









VITADEP® JUNIOR ORAL SOLUTION





INDICATIONS

Recommended in case of restricted or selective diets or with concomitant therapies that interfere with the absorption or metabolism of nutrients.

BASED ON

Vitamin C, Group B Vitamins, Vitamin E, Vitamin K1, Vitamin A, Folic acid, Vitamin D3, Vitamin H

USE

Children 1Y-3Y: 5 ml a day, away from meals. **Children 4Y-10Y:** 10 ml a day, away from meals.

PROPERTIES

- Multivitaminic designed for all children from 1 to 10 years of age.
- Excellent palatability
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS

VITADEP® OSTEO 30 STICKS





INDICATIONS

Recommended to support bone health and prevent bone fragility in conditions such as osteoporosis and osteomalacia.

Also useful in cases of vitamin D deficiency and hypocalcemia, to reduce the risk of fractures and falls. Recommended during pregnancy and breastfeeding to meet the increased need for calcium and vitamin D.

BASED ON

Calcium lactate, Lysine, Vitamin D3 (cholecalciferol), Vitamin K2 (menaquinone-7 from natto*)

IICI

Adults: 1 stick a day, dissolved in a glass of water (150 ml), preferably on a full stomach.

*Naturally obtained by fermentation of Bacillus subtilis and subsequently purified.

PROPERTIES

- **Calcium lactate** ensures **greater bioavailability** compared to traditional inorganic salts, optimizing intestinal absorption and promoting more **effective bone mineralization**-ideal in cases of bone fragility such as osteoporosis and osteomalacia.
- Vitamin D3 reduces the risk of falls-a key factor in preventing fractures-and supports musculoskeletal health. It also enhances calcium absorption and distribution.
- Vitamin K2 (menaquinone-7 from natto) has superior bioavailability and longer action compared to menaquinone-4. It promotes calcium utilization by directing it to the bones and helps prevent vascular calcification.
- Lysine contributes to bone and cardiovascular health: it reduces renal calcium excretion, favoring its deposition in bone tissue, and prevents vascular calcification. It also improves gastrointestinal tolerability, making the product suitable for long-term use.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: ORTHOPEDICS • RHEUMATOLOGY • PHYSIATRY• PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE



ZETA ARTRO-CUR® 30 TABLETS



Ministry of Health code no. 127846

INDICATIONS

Recommended for the treatment of degenerative chondropathy and in association with visco-supplementation.

BASED ON

Glucosamine sulfate, Chondroitin sulfate, Boswellia Phytosome® (Casperome®), Sodium hyaluronate (94% of Hyaluronic acid), Silicon

USE

Adults: 1 tablet a day.

PROPERTIES

- The mix of ingredients shows complete cartilaginous trophism, high effectiveness in controlling symptoms and power to contrast joint degeneration.
- It contains Casperome® Boswellia Phytosome®: patented delivery system that makes boswellic acids about 4 times more bioavailable than dry extract not complexed with Phytosome®. Casperome® leads to a significant reduction of joint pain, functional limitation and edema. A comparative pharmacokinetics study between Casperome® and a boswellic acids extract, conducted in humans, showed that Casperome® exhibits a significantly higher bioavailability than the dry extract and 1 ½ -2 hours faster absorption.
- Chondroitin sulphate stimulates the synthesis of hyaluronate, type II collagen and proteoglycans and inhibits the erosive action of osteoclasts.
- Glucosamine sulfate reduces the catabolic effects of proinflammatory cytokines, counteracts metallo-proteinases synthesis and reduces stiffness and joint pain.
- Sodium hyaluronate lubricates the joint capsules and cushions mechanical shocks, exerting an anti-inflammatory action.
- **Silicon** helps maintain normal bone mineral density.
- Allergen, preservative and sweetener free. No added sugar.
- · Gluten free.
- Naturally lactose free

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY

ZETA ARTRO-CUR® FLEX

20 DRINKABLE STICKS



15 ml

INDICATIONS

Recommended to support joint stiffness and pain, promotes post-traumatic musculoskeletal recovery, and is useful during rehabilitation or pre/post-surgical phases. Ideal for athletes, workers under joint strain, elderly individuals, and overweight people.

BASED ON

Fortigel® — bioactive collagen peptides, Manganese, Copper, Sodium hyaluronate (94% of Hyaluronic acid), Vitamin C

IISI

Adults: 1 drinkable stick a day. Treatment cycles of at least 3 months are recommended, followed by a 1-month break.


PROPERTIES

- Contains Fortigel®: an innovative, patented blend of bioactive collagen peptides with rapid intestinal absorption, capable of stimulating the regeneration of cartilage structures. Fortigel® reduces joint pain and improves joint functionality by significantly promoting cartilage tissue anabolism.
- Sodium hyaluronate lubricates the joint capsule, cushions mechanical shocks, and exerts an anti-inflammatory effect.
- **Vitamin C, Manganese**, and **Copper** contribute to the synthesis of new collagen, essential for the proper functioning of bones and cartilage. They also support energy metabolism and actively counteract oxidative stress.
- Clinically tested: Ripani, U., Manzarbeitia-Arroba, P., Guijarro-Leo, S., Urrutia-Graña, J., & De Masi-De Luca, A. (2019). Vitamin C May Help to Reduce the Knee's Arthritic Symptoms. Outcomes Assessment of Nutriceutical Therapy. Medical Archives, 73(3), 173. Significant improvement in pain (vas-Visual Analogue Scale) and function (sf12- Short Form 12 Health Survey) in patients with gonarthrosis.
- Practical drinkable sticks.
- Excellent palatability: mint flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE









ZETA COLEST® 30 CAPSULES



æ

Ministry of Health code no. 28264

INDICATIONS

Recommended for the management of hypercholesterolemia in primary prevention patients, also with altered triglycerides.

BASED ON

Red Yeast Rice d.e. 3% total Monacolins, Berberis d.e. 85% Berberine, Milk thistle d.e. 80% Silymarin, Guggul d.e. 2.5% Guggulsterones

USE

Adults: 1 capsule a day, preferably in the evening.

PROPERTIES

- Monacolins from Red Yeast Rice reduce the production of cholesterol in the body through the inhibition of the HMG-CoA reductase
- Berberine from Berberis synergizes and amplifies the effects of Monacolins: it increases the expression of the LDL receptor favoring a greater hepatic reuptake of LDLs. It also reduces tryglicerides.
- Silymarin from Milk thistle promotes the intestinal absorption of berberine and increases the transformation of cholesterol into bile acids. Furthermore, it is able to exert a great antioxidant and anti-inflammatory action.
- Guggulsterones from Guggul slow down the entero-hepatic recirculation of bile acids, stimulating their hepatic synthesis starting from cholesterol. Bile acids produced to compensate for those not recycled are physiologically expelled with the feces, without side effects.
- · Citrinin free.
- Clinically tested: proven efficacy in patients with mild-tomoderate hypercholesterolemia.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: CARDIOLOGY • DIETOLOGY • HEPATOLOGY

ZETA DREN® 60 TABLETS



Ministry of Health code no. 36102

INDICATIONS

Recommended in case of water retention.

BASED ON

Green tea d.e. 40% Polyphenols and 3% Caffeine, Alpha-Lipoic acid, Citrus bioflavonoids 35% Hesperedin, Milk thistle d.e. 2% Silymarin, Cherry d.e., Vitamin C, Corn d.e., Dandelion d.e. 2% Inulin, Gotu kola d.e. 10% Asiaticoside, Bilberry d.e. 1% Anthocyanins

US

Adults: 1 tablet, 2 times a day, or 2 tablets in one administration, preferably in the morning.

PROPERTIES

- The synergistic action of the ingredients makes this product particularly effective for weight loss, draining and purifying.
- Alpha-Lipoic acid exerts a hypoglycemic and lipolytic action that synergizes with the thermogenic action of Green Tea, promoting the slimming action.
- Bioflavonoids and Anthocyanidins strengthen and protect the walls of blood capillaries by reducing edema, improving microcirculation and increasing tissue oxygenation.
- Cherry and corn stimulate diuresis by counteracting water retention and exerting an effective detoxifying action.
- Milk thistle and dandelion have a purifying and detoxifying action on the liver, protecting the liver from the harmful action of toxins.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • ESTHETIC MEDICINE



ZETA TONIC® 20 SINGLE-DOSE BOTTLES



10 ml Ministry of Health code no. 41919

INDICATIONS

Recommended for the most common cases of physical and mental tiredness and weakness, such as those associated with periods of intense work or study, seasonal-change stress, and post-influenza recovery.

BASED ON

Acacia honey, Rose root fluid e., Bilberry, Schisandra d.e. titr. 1% Schisandrin, Siberian ginseng d.e. titir. 10% saponosides and 0.8% eleutherosides, Pomegranate juice, Vitamin C, Phosphatidylserine, L-Theanine, Vitamin B6, Folic acid, Vitamin B12

USE

Adolescents and adults: 1 single-dose bottle a day, preferably in the morning.

PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
- Adaptogens and antioxidants enriched formula.
- It contains acacia honey of EU origin.
- · Practical single-dose bottles to ensure quality and stability.
- Excellent palatability: cola flavour.
- Colorant free.
- · Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: GERIATRICS • DIETOLOGY • GENERAL SURGERY • OPHTHALMOLOGY

ZETA VITAL®20 SINGLE-DOSE BOTTLES



10 ml Ministry of Health code no. 41920

INDICATIONS

Recommended to strengthen the immune system against viral and bacterial infections.

BASED ON

Concentrated fruit juices, Vitamin C, Lactoferrin, Pido-Zinc® Zinc pidolate, Group B Vitamins, Beta-carotene

USE

Children from 1Y: 1 single-dose bottle a day. **Adults:** 2 single-dose bottles a day.

Take it preferably in the morning.

In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles.

Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

PROPERTIES

- It offers a broad-spectrum immunity protection: rich in immunomodulating active ingredients and water-soluble vitamins.
- Designed for children from 1 year of age, especially those most sensitive to recurrent respiratory infections.
- Also suitable for adults and elderly people.
- Practical single-dose bottles that ensure quality and stability.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Colorant and sweetener free.
- Gluten free.
- Naturally lactose free.
- It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: PEDIATRICS











