



PHARMALUCE **PRODUCT CATALOGUE**

ARGIFAST® SACHETS	p. 6	LUXFLUIRES® THROAT SPRAY	p. 18
ARGILUX® SACHETS	p. 6	LUXFLUIRES® NASAL SPRAY	p. 18
ARGILUX® VIALS	p. 7	MUNATORIL® AEROSOL	p. 19
BETACLOR® VAGINAL SUPPOSITORIES	p. 7	MUNATORIL® ATTACCO SINGLE-DOSE BOTTLES	p. 19
BILIREL® TABLETS	p. 8	MUNATORIL® SYRUP	p. 20
CALCOREL® TABLETS	p. 8	MUNATORIL® THROAT SPRAY	p. 20
CALCOREL® CCS SACHETS	p. 9	MUNATORIL® NASAL SPRAY	p. 21
CARDIORIL® SACHETS	p. 9	PERISTIL® FAST DRINKABLE STICKS	p. 21
CARDIORIL® MYO TABLETS	p. 10	PERISTIL® ORAL SOLUTION	p. 22
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10	REURIL ACTIVE® OROSOLUBLE STICKS	p. 22
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11	REURIL PLUS® SACHETS	p. 23
CRC®500 CAPSULES	p. 11	REURIL PLUS® SINGLE-DOSE BOTTLES	p. 23
CRC® DOL STICKS	p. 12	SONNORIL® DROPS	p. 23
GLICOPER® CAPSULES	p. 13	SONNORIL® ORAL SPRAY	p. 24
GLICOPER® STICKS	p. 14	SONNORIL® TABLETS	p. 24
GLICOPER® LEI SACHETS	p. 14	SPERMACT® TABLETS	p. 25
LINDOFLOL® VAGINAL SUPPOSITORIES	p. 15	ZACHELASE® SACHETS	p. 25
LUXFLUIRES® AEROSOL	p. 15	ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
LUXFLUIRES® SACHETS	p. 16	ZACHELASE® LOX TABLETS	p. 26
LUXFLUIRES® IMMUNO CAPSULES	p. 16		
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 17		
LUXFLUIRES® ORAL SOLUTION	p. 17		

ALLERGOLOGY

LUXFLUIRES® NASAL SPRAY	p. 18
MUNATORIL® NASAL SPRAY	p. 21
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 25
ZACHELASE® LOX TABLETS	p. 26

ANDROLOGY, REPRODUCTIVE MEDICINE

ARGIFAST® SACHETS	p. 6
ARGILUX® VIALS	p. 7
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
SPERMACT® TABLETS	p. 24
ZACHELASE® SACHETS	p. 25
ZACHELASE® LOX TABLETS	p. 26

CARDIOLOGY, CARDIO-VASCULAR REHABILITATION MEDICINE

ARGIFAST® SACHETS	p. 6
ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
CARDIORIL® SACHETS	p. 9
CARDIORIL® MYO TABLETS	p. 10
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
SONNORIL® DROPS	p. 23
SONNORIL® ORAL SPRAY	p. 24
SONNORIL® TABLETS	p. 24

DENTISTRY

ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY

COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC®500 CAPSULES	p. 11
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

DIABETOLOGY, ENDOCRINOLOGY

ARGIFAST® SACHETS	p. 6
ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 9
CARDIORIL® MYO TABLETS	p. 10
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
GLICOPER® CAPSULES	p. 13
GLICOPER® STICKS	p. 14
GLICOPER® LEI SACHETS	p. 14

DIETOLOGY

COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC®500 CAPSULES	p. 11
GLICOPER® CAPSULES	p. 13
GLICOPER® STICKS	p. 14
GLICOPER® LEI SACHETS	p. 14
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22

GASTRO-ENTEROLOGY, PROCTOLOGY

BILIREL® TABLETS	p. 8
CALCOREL® TABLETS	p. 8
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22

GENERAL SURGERY

CARDIORIL® SACHETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10
CRC® DOL STICKS	p. 12
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22
ZACHELASE® SACHETS	p. 25
ZACHELASE® LOX TABLETS	p. 26

GERIATRICS

ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
CARDIORIL® SACHETS	p. 9
CARDIORIL® MYO TABLETS	p. 10
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC® DOL STICKS	p. 12
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22
SONNORIL® DROPS	p. 23
SONNORIL® ORAL SPRAY	p. 24
SONNORIL® TABLETS	p. 24

GYNECOLOGY, OBSTETRICS, SENOLOGY

BETACLOR® VAGINAL SUPPOSITORIES	p. 7
CRC® DOL STICKS	p. 12
GLICOPER® LEI SACHETS	p. 14
LINDOFLOR VAGINAL SUPPOSITORIES	p. 15
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22
ZACHELASE® SACHETS	p. 25

HEPATOLOGY

BILIREL® TABLETS	p. 7
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
PERISTIL® FAST DRINKABLE STICKS	p. 21
PERISTIL® ORAL SOLUTION	p. 22

NEONATOLOGY

ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
---------------------------------------	-------

ONCOLOGY

ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
GLICOPER® LEI SACHETS	p. 14
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY

CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

OPHTHALMOLOGY

CRC®500 CAPSULES	p. 11
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

OTORHINO-LARYNGOLOGY

CALCOREL® TABLETS	p. 8
CRC®500 CAPSULES	p. 11
LUXFLUIRES® AEROSOL	p. 15
LUXFLUIRES® SACHETS	p. 16
LUXFLUIRES® IMMUNO CAPSULES	p. 16
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 17
LUXFLUIRES® ORAL SOLUTION	p. 17
LUXFLUIRES® THROAT SPRAY	p. 18
LUXFLUIRES® NASAL SPRAY	p. 18
MUNATORIL® AEROSOL	p. 19
MUNATORIL® SYRUP	p. 20
MUNATORIL® THROAT SPRAY	p. 20
MUNATORIL® NASAL SPRAY	p. 21
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

PAIN THERAPY

CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
SONNORIL® DROPS	p. 23
SONNORIL® TABLETS	p. 24
SONNORIL® ORAL SPRAY	p. 24

PEDIATRICS

MUNATORIL® AEROSOL	p. 19
MUNATORIL® ATTACCO SINGLE-DOSE BOTTLES	p. 19
MUNATORIL® SYRUP	p. 20
MUNATORIL® THROAT SPRAY	p. 20
MUNATORIL® NASAL SPRAY	p. 21
PERISTIL® ORAL SOLUTION	p. 22
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26

PNEUMOLOGY

ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
LUXFLUIRES® AEROSOL	p. 15
LUXFLUIRES® SACHETS	p. 16
LUXFLUIRES® IMMUNO CAPSULES	p. 16
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 17
LUXFLUIRES® ORAL SOLUTION	p. 17
MUNATORIL® AEROSOL	p. 19
MUNATORIL® SYRUP	p. 20
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

PROBIOTICS

REURIL ACTIVE® OROSOLUBLE STICKS	p. 22
REURIL PLUS® SACHETS	p. 23
REURIL PLUS® SINGLE-DOSE BOTTLES	p. 23

PSYCHIATRY, NEUROLOGY, CHILD NEURO-PSYCHIATRY, PSYCHO-GERIATRICS

ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
CARDIORIL® SACHETS	p. 8
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 10
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC®500 CAPSULES	p. 11
CRC® DOL STICKS	p. 12
SONNORIL® DROPS	p. 23
SONNORIL® TABLETS	p. 24
SONNORIL® ORAL SPRAY	p. 24

SPORTS MEDICINE

ARGILUX® SACHETS	p. 6
ARGILUX® VIALS	p. 7
CRC® DOL STICKS	p. 12
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

UROLOGY, NEPHROLOGY

ARGIFAST® SACHETS	p. 6
CALCOREL® TABLETS	p. 8
CALCOREL® CCS SACHETS	p. 9
COLECRIL® CALANUS ARTICO SOFTGELS	p. 11
CRC® DOL STICKS	p. 12
SPERMACT® TABLETS	p. 25
ZACHELASE® SACHETS	p. 25
ZACHELASE® JUNIOR SINGLE-DOSE BOTTLES	p. 26
ZACHELASE® LOX TABLETS	p. 26

VASCULAR MEDICINE, VASCULAR SURGERY, PHLEBOLOGY, ANGIOLOGY

ZACHELASE® SACHETS	p. 25
ZACHELASE® LOX TABLETS	p. 26

• NOTE

All such products are potentially prescribed by GPs.

ARGIFAST®

14 SACHETS



7.95 g

Ministry of Health code no. 52298

INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies, in preparation for Medically Assisted Procreation (MAP) procedures and in the treatment of erectile dysfunction, also in combination with PDE5 inhibitors.

BASED ON

L-Arginine, Vitamin C, Coenzyme Q10, Tribulus d.e. 40% Steroidal saponins, Ginseng d.e. 8% Ginsenosides, Inositol, Vitamin E, Vitamin B3

USE

Adults: 1 sachet a day, preferably in the morning, dissolved in a glass of water (150 ml). Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It stimulates the release of nitric oxide (NO) by the basal endothelium of the corpora cavernosa by exerting a pro-erectile effect.
- It contains **3 g Arginine/sachet**, a semi-essential amino acid: it is the precursor of spermine and spermidine synthesis that play an important role as initiators in the processes of acquiring nemaspermic motility.
- Excellent palatability: citrus flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY • DIABETOLOGY • CARDIOLOGY

ARGILUX®

20 SACHETS



6 g

Ministry of Health code no. 149840

INDICATIONS

Recommended to counteract cellular stress associated with cardiovascular diseases, brain dysfunctions, pulmonary conditions (such as COPD and fibrosis), metabolic disorders (diabetes, obesity, malnutrition), and post-infectious asthenia. Also useful for high-intensity and high-altitude sports (e.g., mountaineering, climbing, trail running), as it improves time to exhaustion, athletic performance, and minimizes muscle damage.

BASED ON

Coenzyme Q10, L-Arginine, Ribocare® (nucleotides), Sophora

USE

Adolescents and adults: 1 sachet day, dissolved in a glass of water (200 ml), preferably in the morning after breakfast.

PROPERTIES

- Advanced adaptogenic formulation to support cellular health.
- **L-Arginine** improves blood flow, allowing cells to be better nourished and oxygenated by stimulating nitric oxide (NO) production, a key mediator for vascular well-being. It also has an anti-inflammatory effect by reducing the synthesis of pro-inflammatory cytokines such as IL-6 and TNF-alpha.
- **Coenzyme Q10** enhances mitochondrial activity, promoting more energetic and vital cells. It plays a central role in ATP production—our main cellular energy source—and offers strong antioxidant protection by neutralizing excess free radicals.
- **Nucleotides** support regenerative processes, making cells stronger and more resilient. As essential precursors in DNA and RNA synthesis, they are crucial for tissue repair and renewal. They also enhance physical endurance during intense effort or stress.
- The nucleotides in this product are pure monoribonucleotides (RNA), obtained through enzymatic hydrolysis of yeast extract. They are not derived from human sources and do not promote proliferative stimuli. Produced according to European standards, they are entirely made in Italy.
- **Sophora** helps manage stress, enhancing cell adaptability and responsiveness by modulating the HPA axis to reduce excess cortisol and catecholamines. It is also a rich source of antioxidant and anti-inflammatory compounds such as quercetin, luteolin, and rutin.
- High-dose formula: 3 g of Arginine and 200 mg of Coenzyme Q10 per sachet—well above the market average.
- Excellent palatability: orange flavour.
- Allergen, colorant, and preservative free.

THERAPEUTIC AREAS: CARDIOLOGY • PNEUMOLOGY • NEUROLOGY • GERIATRICS



ARGILUX®

20 VIALS



25 ml

Ministry of Health code no. 185576

INDICATIONS

Recommended to counteract cellular stress associated with cardiovascular diseases, cerebral dysfunctions, pulmonary conditions (COPD, fibrosis), and post-infectious asthenia. Also beneficial for high-intensity and high-altitude sports (e.g., mountaineering, climbing, trail running), as it helps improve time to exhaustion, athletic performance, and minimize muscle damage.

BASED ON

Siberian ginseng, L-arginine, L-carnitine, Ribocare® (nucleotides)

USE

Adolescents and adults: 1-2 vials a day, preferably in the morning, after breakfast.

Recommended as a pre/intra-workout supplement (30–60 minutes before exercise) to enhance time to exhaustion, improve performance, and reduce muscle damage

PROPERTIES

- **Advanced adaptogenic formulation to promote cellular health.**
- **L-arginine supports improved blood flow, delivering better oxygen and nutrient supply to cells.** It boosts nitric oxide production, a key mediator of vascular health, and exhibits anti-inflammatory properties by reducing the synthesis of pro-inflammatory cytokines such as IL-6 and TNF-alpha.
- **L-carnitine enhances mitochondrial function, promoting more energetic and vital cells.** It facilitates the transport of long-chain fatty acids into mitochondria for energy production, reducing fatty acid accumulation in muscles and supporting improved physical performance.
- **Nucleotides stimulate regenerative processes for stronger, more resilient cells.** As essential precursors in DNA and RNA synthesis, they play a vital role in tissue renewal and repair, increasing physical endurance during periods of high exertion or stress.
- The **nucleotides** in this product are pure monoribonucleotides (RNA), enzymatically extracted from yeast. They **are not derived from human sources and do not promote proliferative stimuli**. Produced according to European standards and entirely made in Italy.
- **Siberian ginseng helps the body adapt to stress, enhancing cellular adaptability and responsiveness.** It modulates the HPA axis to lower excessive cortisol and catecholamines—key stress mediators—and activates antioxidant enzymes such as superoxide dismutase and glutathione peroxidase.
- Excellent palatability: apple flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: CARDIOLOGY • PNEUMOLOGY • NEUROLOGY • GERIATRICS

BETACLOR®

10 VAGINAL SUPPOSITORIES



CLASS II MD C€ 1370



INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

18-β-Glycyrrhetic acid, Aloe vera, Chamomile, Chlorhexidine, Hyaluronic acid, Lactic acid, Pot marigold, Vitamin A, Vitamin E

USE

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- Based on soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- Allergens and preservatives free.

THERAPEUTIC AREAS: GYNECOLOGY

BILIREL®

30 TABLETS



Ministry of Health code no. 41281

INDICATIONS

Recommended in case of liver steatosis, biliary dyskinesia, biliary insufficiency, dyspeptic syndrome with alterations in liver function, hepatic migraines and post prandial headaches.

BASED ON

Artichoke d.e. 5% Chlorogenic acid, Milk thistle d.e. 80% Silymarin, L-Methionine, Fumitory d.e. 0.04% Protopine, L-Glutathione

USE

Adults: 1 tablet, 2 times a day, on an empty stomach.

PROPERTIES

- **Amphicholeretic:** acts as a choleretic in cases of reduced bile secretion and as an anticholeretic in cases of hypersecretion.
- **Cholecystokinetic:** increases gallbladder contractility, stimulates bile production, and promotes urea elimination. Particularly useful in cases of biliary dyskinesia and insufficiency.
- **Hepatoprotective:** combats lipid peroxidation of the hepatocyte membrane and regulates its permeability; increases protein synthesis and hepatocyte regeneration, and inhibits fibrotic activity. Effective in the treatment of non-alcoholic fatty liver disease (NAFLD).
- **Spasmolytic:** acts on the sphincter of Oddi, helping to relieve hepatic migraines and postprandial headaches by reducing biliary pressure
- **Clinically tested:** Abenavoli L., Greek, M., Milic, N., Accattato, F., Foti, D., Gulletta, E., & Luzzza, F. (2017). *Effect of Mediterranean diet and antioxidant formulation in non-alcoholic fatty liver disease: a randomized study*. *Nutrients*, 9(8), 870.
- Allergen and preservative free. No added sugar.

THERAPEUTIC AREAS: HEPATOLOGY • GASTRO-ENTEROLOGY

CALCOREL®

20 TABLETS



Ministry of Health code no. 41278

INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

BASED ON

Magnesium and Potassium tribasic citrates, Phyllanthus d.e. 15% Tannins, Chrysanthellum d.e.

USE

Adults: 1-2 tablets a day, on a full stomach.

PROPERTIES

- It inhibits calcium oxalate crystal nucleation, growth and aggregation. It has strong uricosuric effects, increasing diuresis and acting as a spasmolytic on the urinary tract smooth muscle.
- It has been clinically demonstrated to significantly reduce stone size, symptomatic episodes and asymptomatic bacteriuria (ABU) after only 3 months of treatment, improving quality of life in patients with urinary stones.
- It contains **Potassium and Magnesium Tribasic Citrates:** the tribasic nature of citrate salt improves the bioavailability of potassium and magnesium.
- **Clinically tested:** (Cai T, Tiscione D, Puglisi M, Malossini G, Ruggera L, Verze P, Arcaniolo D, Palmieri A. (2021). *Phyllanthus niruri an Chrysanthellum americanum in association with potassium and magnesium citrates are able to prevent symptomatic episode in patients affected by recurrent urinary stones: a prospective study*. *Arch Ital Urol Androl*, 93(2):184-188).
- **Excellent compliance for the patients:** well tolerated consumption, especially when taken on a full stomach.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY • OTORHINO-LARYNGOLOGY • GASTRO-ENTEROLOGY



CALCOREL® CCS

20 SACHETS



4 g

Ministry of Health code no. 110739



INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

BASED ON

Tribasic magnesium and potassium citrates, Chondroitin sulfate

USE

Adults: 1 sachet a day, on a full stomach, dissolved in a glass of water (200 ml).

PROPERTIES

- **Urine alkaliizer:** promotes the dissolution of calcium oxalate, urate and cystine stones, inhibits crystal growth and aggregation, and improves the trophism of urothelial cells.
- **Contains tribasic magnesium and potassium citrates:** the tribasic nature improves and optimizes the bioavailability of both magnesium and potassium.
- **High citrate concentration per sachet:** the daily treatment of kidney stones requires 30–60 mEq of citrate (about 4 g), usually divided into 2 doses. Each sachet contains 1.875 g, equivalent to about 30 mEq.
- **Optimal potassium concentration:** ensures therapeutic efficacy without increasing the risk of side effects in predisposed patients.
- **Chondroitin sulfate:** inhibits crystal growth and aggregation in the lithogenesis process, improves the trophism and barrier function of urothelial cells.
- **Free from citric acid,** an excipient commonly used to improve solubility and palatability.
- **Excellent patient compliance:** high solubility and neutral taste. Well tolerated, especially when taken on a full stomach.
- Excellent palatability: neutral taste.
- Preservative free.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY

CARDIORIL®

14 SACHETS



3.4 g

Ministry of Health code no. 47041

INDICATIONS

Recommended to support energy metabolism and protect cells from oxidative stress, promoting cardiovascular and muscular well-being. Particularly useful in cases of fatigue, increased energy demand and oxidative stress.

BASED ON

Creatine, Acetyl-L-Carnitine, L-Carnitine, Magnesium, Coenzyme Q10, Vitamin C, Astaxanthin, Vitamin B6, Folic Acid, Vitamin B12

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), preferably in the morning.

PROPERTIES

- **Energy and metabolic support:** Magnesium and vitamins B6, B12 and C contribute to normal energy metabolism, promoting proper function of cardiac and muscle cells.
- **Protection from oxidative stress:** Vitamin C, astaxanthin and Coenzyme Q10 work synergistically as powerful antioxidants, protecting cells from oxidative damage and supporting cardiovascular health.
- **Cardio-specific action:** The combination of L-Carnitine and Acetyl-L-Carnitine (800 mg per sachet) ensures a complementary effect. L-Carnitine promotes the transport of fatty acids into mitochondria, optimizing energy production in the myocardium and supporting energy metabolism, while Acetyl-L-Carnitine supports cardiac innervation through acetylcholine synthesis, improving the heart's responsiveness to stimuli.
- **Optimization of muscle metabolism:** Creatine supports the production and maintenance of muscle energy, aiding recovery and endurance under fatigue conditions.
- **Excellent palatability:** orange flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS
NEPHROLOGY • DIABETOLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS**

CARDIORIL® MYO

30 TABLETS



Ministry of Health code no. 116644

INDICATIONS

Recommended to support muscular and cardiac function and to counteract oxidative stress. Useful in combination with statins to reduce myalgia and weakness, improving tolerability. Helps reach LDL targets and regulate triglycerides.

BASED ON

Turmeric d.e. 95% Curcuminoids, Coenzyme Q10, Vitamin D3

USE

Adults: 1 tablet a day, on a full stomach.

PROPERTIES

- **Muscular, cardiac and antioxidant support:** Vitamin D3 contributes to the maintenance of normal muscle function, while Coenzyme Q10 and Turmeric protect muscle and cardiac cells from oxidative damage, counteracting metabolic stress and enhancing mitochondrial function.
- **Improves statin tolerability:** Coenzyme Q10 compensates for the deficiency induced by statins, reducing the risk of myalgia and protecting muscle fibers, promoting better adherence to therapy.
- **Complementary to statins:** Curcuminoids enhance lipid metabolism efficiency by promoting LDL reabsorption and reducing triglycerides through the modulation of PCSK9 activity, maximizing the benefits of statin therapy.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GERIATRICS • DIABETOLOGY

CARDIORIL® PLUS

10 SINGLE-DOSE BOTTLES



Ministry of Health code no. 58364

INDICATIONS

Recommended to support energy metabolism and protect cells from oxidative stress, promoting cardiovascular and muscular wellbeing. Particularly useful in cases of fatigue, increased energy demands, and oxidative stress.

BASED ON

L-Carnitine, Acetyl-L-Carnitine, Folic acid

USE

Adults: 1 single-dose bottle a day, preferably in the morning.

PROPERTIES

- **Carnitine (2 g per single-dose bottle):** the combination of L-Carnitine and Acetyl-L-Carnitine optimizes myocardial energy metabolism and supports the autonomic nervous system. L-Carnitine facilitates the transport of fatty acids into the mitochondria for **energy production**, while Acetyl-L-Carnitine contributes to acetylcholine synthesis, improving cardiac innervation and heart response to stimuli.
- **High-dose folic acid (800 mcg, 400% NRV):** regulates homocysteine levels, supporting cardiovascular protection and energy metabolism.
- **Excellent palatability:** peach flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS
NEPHROLOGY • DIABETOLOGY • ANDROLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS



>> NEW

COLECRIL[®] CALANUS ARTICO 60 SOFTGELS



Ministry of Health code no. 51355



INDICATIONS

Recommended for the treatment of inflammatory metabolic diseases, thanks to its strong anti-inflammatory and antioxidant action

BASED ON

Calanus Oil: Omega-3 (EPA, DHA, SDA), Astaxanthin

USE

Children and adults: 1 or 2 softgels a day, on a full stomach.

PROPERTIES

- **Based on Zooca[®] Calanus[®] Oil**, a unique lipid source derived from *Calanus finmarchicus*, a zooplankton native to the cold waters of the North Atlantic.
- **Unique lipid matrix:** contains fatty acids (including Omega-3 EPA, DHA, and SDA), marine policosanols, and astaxanthin, predominantly bound in the form of wax esters. This structure allows for a **targeted release in the ileum and colon**, areas rich in GPR120 receptors.
- **GPR120 receptor activation:** a key mechanism involved in **metabolic support and regulation of inflammatory processes**.
- **Rich in stearidonic acid (SDA):** naturally contains SDA, a precursor of EPA and a potent GPR120 agonist. SDA is **absent in other fish oils**.
- **Natural astaxanthin content:** a powerful antioxidant carotenoid that gives the oil its **intense red color** and helps preserve its freshness and stability, **eliminating the need for added preservatives**.
- **Scientific support:** the product's efficacy and safety are backed by **20 scientific publications**.
- **Sustainable source:** the oil is derived from *Calanus finmarchicus*, one of the **most abundant and renewable marine resources** of the North Atlantic.
- **Low-impact harvesting:** the producing company is committed to **sustainable, environmentally responsible harvesting practices**.
- **Purity:** this species has a **short life cycle (about one year)**, resulting in very **low levels of contaminants** such as heavy metals, and requiring only minimal refining processes.
- Colorant, preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: CARDIOLOGY • GASTRO-ENTEROLOGY • DERMATOLOGY • DIABETOLOGY • DIETOLOGY • NEUROLOGY • GERIATRICS • ANDROLOGY
UROLOGY • NEPHROLOGY • HEPATOLOGY

CRC[®] 500 60 CAPSULES



Ministry of Health code no. 114796



INDICATIONS

Recommended for the management of inflammatory and chronic painful diseases, thanks to its strong anti-inflammatory antioxidant and pain-relieving action of curcuminoids.

BASED ON

MERIVA[®] Curcuminoids phospholipids

USE

Adults: 1-2 capsules a day.

Children from 8Y: 1 capsule a day.

Take preferably 30 minutes before meals.

The capsule can be opened and its contents poured into a liquid (milk, yogurt, fruit juice).

PROPERTIES

- It contains high-dosage of **MERIVA[®] Curcuminoids phospholipids** that offers a bioavailability of about 29 times higher than the uncompleted dry extract of turmeric. The **Phytosome[®]** technology is a patented delivery system, that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action. It counts **more than 25 clinical studies** (peer-reviewed and Pubmed indexed) performed with MERIVA[®] in different inflammatory pathological conditions.
- It is possible to take it in combination with NSAIDs, favouring a reduction in the duration of treatment and limiting the associated side effects.
- **Total gastric tolerability:** ideal for prolonged therapies.
- Highly stable raw material: the capsule can be opened and the content dispersed in different foods.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • NEUROLOGY • RHEUMATOLOGY • PAIN THERAPY • ORTHOPEDICS • PHYSIATRICS • ONCOLOGY • DIABETOLOGY
OTORHINO-LARYNGOLOGY • OPHTHALMOLOGY • DERMATOLOGY • DIETOLOGY

CRC® DOL

20 STICKS



1.7 g

Ministry of Health code no. 153051

INDICATIONS

Recommended for the management of chronic pain and associated inflammatory states, such as neuropathies, migraine, fibromyalgia, osteoarthritis, irritable bowel syndrome, and cancer-related pain.

BASED ON

Peatonide® (PEA + melatonin). **Patented formulation.** Trademark owned by the Erbozeta Group.

USE

Adults: 1 stick a day, preferably on a full stomach. The product can be gradually dissolved directly in the mouth, or dispersed in a glass of water (200 ml) to create a drinkable suspension.

PROPERTIES

- **Peatonide®** is a new-generation analgesic that shuts down the mast cell–neuronal circuit at the root of chronic pain and inflammation, raising the pain threshold and delivering fast and lasting relief.
- **PEA** is a physiological lipid with analgesic and anti-inflammatory activity, particularly effective at the nervous system level.
- **Melatonin** is micro-dosed to allow intake at any time of day without undesired effects. This hormone has potent analgesic and anti-inflammatory action, independent of its role in sleep-wake cycle regulation.
- Proven efficacy in patients with migraine and in fibromyalgia patients.
- **Clinically tested:**
 - Piccolo, V., Marzocchi, A., Maisto, M., Summa, V., Tenore, G. C., & Amoresano, A. (2025). *Fixed combination of palmitoylethanolamide and melatonin in preventive therapy of migraine: results from a randomized clinical trial.* *Frontiers in Nutrition*, 12, 1560654.
 - Terribili, R., Vallifuoco, G., Bardelli, M., Frediani, B., & Gentileschi, S. (2024). *A Fixed Combination of Palmitoylethanolamide and Melatonin (PEATONIDE) for the Management of Pain, Sleep, and Disability in Patients with Fibromyalgia: A Pilot Study.* *Nutrients*, 16(16), 2785.
- **High compliance:** mint-flavored granules that can be dissolved directly in the mouth or in water.
- **Suitable for diabetics.**
- **Excellent palatability:** mint flavor.
- Allergen and preservative free.

THERAPEUTIC AREAS: PAIN THERAPY • NEUROLOGY • ORTHOPEDICS • GINECOLOGY • UROLOGY • GASTRO-ENTEROLOGY • RHEUMATOLOGY
PHYSIATRICS • SPORTS MEDICINE • GERIATRICS • ONCOLOGY • GENERAL SURGERY • DIABETOLOGY



GLICOPER®

30 CAPSULES



Ministry of Health code no. 41276

INDICATIONS

Recommended in the treatment of prediabetic conditions and type 2 diabetes mellitus in association with standard antidiabetic drugs, as a supplement to insulin therapy in type 1 diabetes mellitus, for obesity, and in cases of dumping syndrome (early and late stages), as well as during ketogenic diets.

BASED ON

Reducose® (White mulberry)

USE

Adults: 1 capsule, 10 minutes before meals rich in complex carbohydrates, up to twice a day.

PROPERTIES

- Formulated with a Reducose® - White mulberry extract standardized in 1-deoxynojirimycin (DNJ).
- Reduces postprandial glycemic response and the glycemic index of foods by inhibiting enzymes responsible for carbohydrate digestion.
- **Stimulates delayed GLP-1 release, reducing appetite, promoting satiety, and supporting weight loss.**
- **Acts immediately** and for about 90 minutes after intake.
- **Total gastrointestinal tolerability:** does not inhibit α -glucosidases of the colonic microbiota.
- **No interaction with other substances:** enhances therapeutic outcomes when combined with standard pharmacological treatments for type 1 and type 2 diabetes.
- **Increases "Time in Range" in diabetic patients:** its effectiveness can be measured in real-time using CGM (Continuous Glucose Monitoring) devices, offering powerful biofeedback and improving treatment adherence. Improved time in range reduces the risk of endothelial dysfunction.
- **Proven efficacy and safety,** supported by scientific studies published in *peer-reviewed* journals.
- Helps manage obesity and supports weight control, also when used alongside pharmacological therapy.
- Suitable in the treatment of early and late dumping syndrome, which may occur after stomach or esophagus removal, or in obese patients undergoing gastric bypass surgery.
- Excellent patient compliance.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY

GLICOPER®

30 STICKS



1.4 g

Ministry of Health code no. 166381

INDICATIONS

Recommended in the treatment of prediabetic conditions and type 2 diabetes mellitus in association with standard antidiabetic drugs, as a supplement to insulin therapy in type 1 diabetes mellitus, for obesity, and in cases of dumping syndrome (early and late stages), as well as during ketogenic diets.

BASED ON

Reducose® (White mulberry)

USE

Adults: 1 stick, dissolved in 150 ml of water, up to twice a day, with meals rich in complex carbohydrates.

PROPERTIES

- Formulated with a Reducose® - White mulberry extract standardized in 1-deoxynojirimycin (DNJ).
- Reduces postprandial glycemic response and the glycemic index of foods by inhibiting enzymes responsible for carbohydrate digestion.
- **Stimulates delayed GLP-1 release, reducing appetite, promoting satiety, and supporting weight loss.**
- **Acts immediately** and for about 90 minutes after intake.
- **Total gastrointestinal tolerability:** does not inhibit α-glucosidases of the colonic microbiota.
- **No interaction with other substances:** enhances therapeutic outcomes when combined with standard pharmacological treatments for type 1 and type 2 diabetes.
- **Increases "Time in Range" in diabetic patients:** its effectiveness can be measured in real-time using CGM (Continuous Glucose Monitoring) devices, offering powerful biofeedback and improving treatment adherence. Improved time in range reduces the risk of endothelial dysfunction.
- **Proven efficacy and safety,** supported by scientific studies published in *peer-reviewed* journals.
- Helps manage obesity and supports weight control, also when used alongside pharmacological therapy.
- Suitable in the treatment of early and late dumping syndrome, which may occur after stomach or esophagus removal, or in obese patients undergoing gastric bypass surgery.
- Excellent patient compliance.
- Allergen, preservative and sweetener free. No added sugar.
- Tea flavour.

THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY

>> NEW

GLICOPER® LEI

30 SACHETS



3 g

Ministry of Health code no. 178121



INDICATIONS

Supports ovulation restoration, improves oocyte quality, and sustains metabolism in adolescents and women with Polycystic Ovary Syndrome (PCOS), often associated with insulin resistance and hyperandrogenism symptoms such as hirsutism and acne. Helps regulate insulin levels and counteract metabolic imbalances, contributing to improved fertility in women trying to conceive. Also recommended during menopause and post-menopause to support weight management, improve metabolic balance, and promote hormonal well-being.

BASED ON

Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt], Reducose® (White mulberry), Myo-inositol

USE

Adolescents and adults: 1 sachet during main meals, 2 times a day. Pour the content of the sachet in a glass of water (150 ml), stir well and take with the meal.

PROPERTIES

- **Myo-inositol** acts as a second messenger for FSH, insulin, and TSH. It supports menstrual cycle regulation and oocyte quality, aiding in the management of PCOS. It improves tissue sensitivity to insulin and helps regulate metabolism. It also promotes cardiovascular and emotional well-being in menopausal and post-menopausal women.
- **Reducose®**, an aqueous extract of **White mulberry** thanks to the presence of 1-deoxynojirimycin (DNJ), reduces carbohydrate absorption, lowering postprandial glycemic and insulin peaks, and improving glucose metabolism. It stimulates late GLP-1 release, reducing appetite, promoting satiety, and supporting weight loss. By lowering intestinal glucose levels, it also enhances myo-inositol absorption.
- **Folate** helps regulate the menstrual cycle, supports ovulation, and controls homocysteine levels, which are linked to insulin resistance. During menopause, it supports metabolic function and contributes to bone health. Quatrefolic® folate is the biologically active form of folic acid (5-MTHF), requiring no further metabolic activation. It does not mask vitamin B12 deficiency and is completely water-soluble.
- Excellent palatability: peach tea flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY • GYNECOLOGY • ONCOLOGY



LINDOFLOL

10 VAGINAL SUPPOSITORIES



CLASS II MD C € 1370



INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

Hyaluronic Acid, 18 Beta-Glycyrrhetic Acid, Tea Tree oil, Vitamin E, Vitamin A, Aloe barbadensis oil extract, Calendula officinalis oil extract, Chamomile recutita oil extract, Lactic Acid

USE

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- Based on anti-microbial, soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- Allergen and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY

>> **NUOVO**

LUXFLUIRES® AEROSOL

AVAILABLE IN TWO FORMATS:
10 AND 20 SINGLE-DOSE VIALS



5 ml

CLASS II DM C € 0426

Compliant with the new Regulation (EU) 2017/745 on Medical Devices (MDR)

INDICATIONS

Recommended for the management of symptoms associated with acute and chronic respiratory tract conditions: cough, mucus hypersecretion, dyspnea. Also useful in cases of hoarseness, vocal cord inflammation, flu-like syndromes, reflux-related issues, and postoperative care in ENT.

BASED ON

N-acetylcysteine 6%, sodium hyaluronate

USE

Children from 2 Y and adults: 1 single-dose vial per nebulization session, 1–2 times daily for 5–10 days.

PROPERTIES

- Class IIb medical device compliant with Regulation (EU) 2017/745 on Medical Devices (MDR).
- Fast-acting mucolytic in sterile hypertonic solution for nebulization, containing N-acetylcysteine and hyaluronic acid, indicated for acute or chronic respiratory conditions with dense and viscous mucus hypersecretion.
- N-acetylcysteine 6% exerts a mucolytic effect, liquefying mucus and facilitating expectoration by breaking disulfide bonds.
- Hyaluronic acid hydrates and protects the mucosa, reduces irritation, limits dehydration, and regulates viscosity for uniform aerosolization.
- Available in 10 or 20 single-dose vial polypropylene packaging for practicality and safety compared to glass.
- Suitable for use with piston or ultrasonic nebulizers.
- Clinically evaluated efficacy in patients with COPD.
- Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES®

14 SACHETS



4 g

Ministry of Health code no. 44790

INDICATIONS

Recommended in all cases of catarrhal disease of the upper and lower respiratory tract and otorhinolaryngological system. Particularly indicated in case of COPD (Chronic Obstructive Pulmonary Disease).

BASED ON

N-Acetylcysteine, Bromelain 2500 GDU/g, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Sundew d.e.

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), away from meals.

Adults with COPD (GOLD guidelines): 1 sachet, dissolved in a glass of water (150 ml), twice daily, away from meals.

PROPERTIES

- **More actions in a single product:** it dissolves catarrh, sedates cough and stimulates the body's natural defenses.
- The presence of **NAC** promotes the increase of mucociliary clearance and expectoration, fluidifying mucus.
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® IMMUNO

30 CAPSULES



Ministry of Health code no. 99851

INDICATIONS

Recommended for the prevention and treatment of viral, bacterial, and fungal infections.

BASED ON

Vitamin C, Echinacea d.e. 4% in total Polyphenols, Pelagon-P70®

USE

Adults: 1 capsule a day for 20–30 days; periodic cycles as needed and as directed by a physician.

PROPERTIES

- Complete formula for a shock action with double effectiveness: it provides a broad-spectrum protection and nips infections in the bud.
- It contains **PELAGON P-70®**: a branded extract of *Pelargonium sidoides* (African Geranium) which stimulates innate immunity and prevents viral infections. It has anti-adhesive properties and prevents bacterial overinfections. It also exerts motor-secretion properties on the respiratory epithelium.
- **Therapeutic doses:** clinical evidence in respiratory problems shows the complete resolution of all symptoms.
- It counteracts inflammation by inhibiting the production of pro-inflammatory molecules.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® LATTOFERRINA 200.D

30 OROSOLUBLE STICKS



1.4 g

Ministry of Health code no. 107286



INDICATIONS

Recommended for the prevention and treatment of viral, bacterial, and fungal infections.

BASED ON

Lactoferrin, Vitamin D3 - 1000 IU

USE

Adults: 1 orosoluble stick a day for 20–30 days; periodic cycles as needed and as directed by a physician. Dissolve the contents directly in the mouth, followed by a sip of water. If preferred, the product may also be taken dissolved in half a glass of water (100 ml).

PROPERTIES

- It is a complete formulation that offers broad-spectrum immune protection to counteract ongoing infections and prevent flare-ups.
- It reduces inflammation limiting tissue damage and preventing fibrotic phenomena.
- **Ultra-pure high dosage Lactoferrin;** it supports the immune system, exerting anti-viral and anti-bacterial action; it regulates iron absorption and metabolism, by removing it from bacteria that use it as a growth substrate.
- **Vitamin D3** physiologically modulates the immune system, coordinating its normal functioning. Moreover, it helps create a suitable environment to develop a healthy intestinal microflora.
- Excellent palatability: crème caramel flavour.
- Colorant and preservative free. No added sugar.
- Gluten Free.
- Naturally lactose free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® ORAL SOLUTION



150 ml

Ministry of Health code no. 45273

INDICATIONS

Recommended in all cases of catarrhal conditions affecting the upper and lower respiratory tract and the ear, nose and throat (ENT) system.

BASED ON

Honey, N-Acetylcysteine, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Pelagon-P70®, Elderberry d.e. 15% Anthocyanins

USE

Adults: 10 ml, twice a day.

PROPERTIES

- **Multiple actions in one single product:** it thins mucus and promotes expectoration, exerts an antiseptic and anti-inflammatory action, and helps revitalise the body.
- Contains **NAC**, widely recognised as an effective mucolytic agent.
- The action of NAC is supported by PELAGON-P70®: a branded extract of Pelargonium sidoides (African geranium) with expectorant properties. It also stimulates innate immunity, fights viral infections and hinders bacterial superinfections thanks to its anti-adhesive action. **Enhances the effect of antibiotic therapy when used together.**
- Plant extracts, Honey and Vitamin C complete the formulation with a **tonic effect that persists** even after the resolution of catarrhal symptoms.
- Excellent palatability: orange flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® GOLA

THROAT SPRAY



30 ml

Ministry of Health code no. 44789

INDICATIONS

Recommended in all inflammatory states of the oro-pharyngeal tract, associated with localized pain.

BASED ON

Propolis hydroglyceric e., Vitamin C, Hedge mustard d.e., Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Chamomile d.e. 0.3% Apigenin, Bromelain 2500 GDU/g

USE

Adults: 4 nebulizations per application, 3 times a day.

PROPERTIES

- It relieves inflammation counteracting burning, difficulty in swallowing and the progression of different oral diseases.
- **Rapid action and long-lasting relief.**
- Practical directional spout that guarantees a precise application.
- Excellent palatability: orange and mint flavour.
- Allergen, colorant and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY

LUXFLUIRES®

NASAL SPRAY



20 ml

CLASS II MD C € 1370

INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Concentrated seawater, Sodium hyaluronate, Methylsulfonyl-methane (MSM), Resveratrol

USE

Children 1Y-12Y: 1 nebulization per nostril.

Adults: 1-2 nebulizations per nostril.

Repeat application 2-3 times a day or according to the doctor's advice.

PROPERTIES

- It exerts anti-inflammatory, antiseptic and decongestant action on the nasal mucous membranes.
- It contains **hypertonic seawater (~750 mOsm/L)**: the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Excellent tolerability for mucous membranes: it does not irritate. Ideal also for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization to reach deeply nasal cavities.
- Alcohol, allergen and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • ALLERGOLOGY



>> NUOVO

MUNATORIL® AEROSOL

AVAILABLE IN TWO FORMATS:
10 AND 20 SINGLE-DOSE VIALS


CLASS II DM C € 0426

Compliant with the new Regulation (EU) 2017/745
on Medical Devices (MDR)

INDICATIONS

Recommended for the management of symptoms associated with acute and chronic respiratory tract conditions: cough, mucus hypersecretion, dyspnea. Also useful in cases of hoarseness, vocal cord inflammation, flu-like syndromes, reflux-related issues, and postoperative care in ENT.

BASED ON

6% N-acetylcysteine, hyaluronic acid sodium salt

USE

Children from 2 Y and adults: 1 single-dose vial per nebulization session, 1–2 times daily for 5–10 days.

PROPERTIES

- Class IIb medical device compliant with Regulation (EU) 2017/745 on Medical Devices (MDR).
- Fast-acting mucolytic in sterile hypertonic solution for nebulization, containing N-acetylcysteine and hyaluronic acid, indicated for acute or chronic respiratory conditions with dense and viscous mucus hypersecretion.
- 6% N-acetylcysteine has a mucolytic effect, fluidifying mucus and facilitating expectoration by breaking disulfide bonds.
- Hyaluronic acid hydrates and protects the mucosa, reduces irritation, limits dehydration, and regulates viscosity for uniform aerosolization.
- available in packs of 10 or 20 single-dose vials in polypropylene, for ease of use and safety compared to glass
- Can be nebulized with piston or ultrasonic devices.
- Clinically proven efficacy in patients with COPD.
- Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

MUNATORIL® ATTACCO

20 SINGLE-DOSE BOTTLES
+ DROPPER


Ministry of Health code no. 145196



INDICATIONS

It treats symptoms and prevents complications and relapses of respiratory infections in children.

BASED ON

Resveratrol, Pelagon-P70®, Vitamin D3

USE

Children 1Y-6Y: 1 single-dose bottle a day, on a full stomach.

Children 7Y-12Y: 1 single-dose bottle, 2 times a day, on a full stomach.

From onset to complete resolution of symptoms.

Press on the cap and shake well. For younger children: use the dropper to administer the prescribed amount.

PROPERTIES

- It performs a **multi-target action**: it stimulates mucociliary clearance, it is able to exert anti-adhesive activity against microorganisms and promote the phagocytosis of pathogens aside of monocytes and macrophages. It increases the expression of the Vitamin D receptor (VDR) favouring its modulating action on the immune system.
- It contains **PELAGON P-70®**, a branded extract of *Pelargonium sidoides* (African Geranium) which **is recognized as a drug by the German Federal Institute for Drugs and Medical Devices (BfArM) since 2005**.
- Scientific evidences supporting the active ingredients, also conducted on the pediatric population, demonstrate their efficacy and safety of use.
- Handy single-dose bottles ensure the product quality and stability.
- It comes with a dropper to facilitate the intake of the product in younger children.
- Excellent palatability: white peach flavour (hypoallergenic aroma), children love it.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY

MUNATORIL®

SYRUP



150 ml

CLASS II MD C € 0426



INDICATIONS

Recommended for the treatment of wet and dry cough.

BASED ON

Wildflower honey, Eucalyptus honey, Iceland Moss, Plantain, Thyme, Propolis, Resveratrol

USE

Children 1Y-3Y: 2.5 ml, twice a day.

Children 4Y-6Y: 5 ml, twice a day.

Children 7Y-12Y: 7.5 ml, twice a day.

Adults: 10 ml, twice a day.

PROPERTIES

- Innovative formulation with a high muco-adhesiveness validated by laboratory tests: greater **permanence of the active ingredients on the mucosa** (until 2 hours after administration), **better and prolonged therapeutic efficacy**.
- **In case of wet cough:** it promotes the hydration of mucus and promotes its elimination without altering the physiological expectorant action of cough.
- **In case of dry cough:** it forms a protective film at pharyngeal level reducing coughing and providing relief.
- It contains wildflower and eucalyptus honey of EU origin.
- Excellent palatability: orange flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY

MUNATORIL®

THROAT SPRAY



30 ml

CLASS II MD C € 0426



INDICATIONS

Recommended for all inflammatory conditions of the oropharyngeal tract accompanied by localized pain and swallowing difficulty.

BASED ON

Propolis, Iceland moss, Plantain, Aloe vera, Blueberry, Hyaluronic acid, Resveratrol, Vitamin C

USE

Children 1Y-5Y: 2 nebulizations directly into the mouth, 3 times a day.

Children from 6Y and adults: 4 nebulizations directly into the mouth, 3 times a day.

PROPERTIES

- Innovative formulation with a high muco-adhesiveness validated by laboratory tests: greater **permanence of the active ingredients on the mucosa** (until 2 hours after administration), **better and prolonged therapeutic efficacy**.
- **Rapid action and long-lasting relief.**
- Enriched with **hyaluronic acid** for an effective soothing action.
- Practical directional spout that guarantees a precise application.
- Excellent palatability: citrus flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS



MUNATORIL®

NASAL SPRAY



20 ml

CLASS II MD C € 1370



INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Concentrated seawater, Hyaluronic acid, Aloe Vera, Methylsulfonylmethane (MSM), Resveratrol

USE

Children 1Y: 1 nebulization per nostril, 2-3 times a day.

Adults: 1-2 nebulizations per nostril, 3 times a day.

PROPERTIES

- It smoothes and cleanses nasal secretions by facilitating the expulsion of stagnant mucus.
- **Slightly hypertonic solution (~ 750 mOsm / L).** *
- Enriched with **hyaluronic acid** for an effective soothing action.
- In association with nasal washes, it protects against superinfections, thanks to the cleansing action of **Resveratrol**.
- It is an adjuvant in nasal cavities inflammations: it is indicated for the treatment of persistent inflammation in asthmatic and allergic subjects, thanks its content in **Resveratrol** which is able to inhibit the expression of ICAM1 counteracting the adhesion of Rhinoviruses.
- It contains **Carboxymethyl Cellulose (CMC)** which contributes to the mucoadhesion of the product and allows for greater permanence on site of all the other components.
- Excellent tolerability for mucous membranes: it does not dry or irritate the mucosa.
- Ideal for prolonged therapies. Does not cause dependence.
- Gas free nebulizer: handy bottle with non-invasive spout, able to create an adequate nebulization to better reach the nasal cavities.
- Allergen and propellant gas free.

* 3% hypertonic solution ~ 1.026 mOsm / L

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS • ALLERGOLOGY

PERISTIL® FAST

10 DRINKABLE STICKS



15 ml

Ministry of Health code no. 96273



INDICATIONS

Recommended in case of occasional constipation, to promote regular intestinal transit. It is also useful in the preparation for colonoscopy. Excellent in case of constipation associated with hepatic encephalopathy.

BASED ON

Lactulose, Inulin

USE

Adults: 1 drinkable stick a day, preferably in the evening before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastro-intestinal muscles.
- **Ideal for occasional constipation:** it gives immediate relief.
- **Rapid and painless action against all forms of constipation:** ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- **Formula enriched with prebiotics:** they improve the quality of the intestinal bacterial flora.
- **Useful in the preparation for colonoscopy:** the association of Lactulose with the classic Polyethylene Glycol (PEG), favours a better emptying and cleaning of the colon than using PEG alone (2 sticks at least 24 hours before colonoscopy).
- **Therapy of choice for constipation during hepatic encephalopathy** (3 sticks a day).
- Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • HEPATOLOGY • GENERAL SURGERY • GYNECOLOGY • DIETOLOGY

PERISTIL®

ORAL SOLUTION



Ministry of Health code no. 48109



INDICATIONS

Recommended in case of recurrent constipation, to promote regular intestinal transit.

BASED ON

Lactulose, Fructo-oligosaccharides (FOS), Inulin

USE

Children 6M-1Y: 2.5 ml a day.

Children 2Y-3Y: 5 ml a day.

Children 4Y-6Y: 7.5 ml a day.

Children 7Y-12Y: 10 ml a day.

Adults: 15 ml a day.

Take the product in the evening, preferably before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastro-intestinal muscles.
- **Ideal for recurrent constipation.**
- **Rapid and painless action against all forms of constipation:** ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- **Formula enriched with prebiotics:** they improve the quality of the intestinal bacterial flora.
- Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • GENERAL SURGERY • GYNECOLOGY • PEDIATRICS • DIETOLOGY

REURIL ACTIVE®

10 OROSOLUBLE STICKS



INDICATIONS

Recommended to rebalance and strengthen the intestinal microbiota and counteract all forms of diarrhea, including those related to irritable bowel syndrome and infectious or non-infectious gastroenteritis.

BASED ON

Probiotics: *Lactobacillus rhamnosus* SD5217, *Lactobacillus reuteri* DSM26866, *Saccharomyces boulardii* CNCM I-3799

USE

Adults: 1 orosoluble stick a day, away from meals. Pour the content directly in the mouth, possibly followed by a sip of water.

PROPERTIES

- **Multi-species, multi-strain probiotics** resistant to gastric pH and bile salts: **15 billion CFU/stick.**
- Convenient orosoluble sticks for rapid absorption. Ideal for travelers
- It does not need to be stored at low temperatures.
- Excellent palatability: pineapple flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS

REURIL PLUS®

10 SACHETS



3 g

Ministry of Health code no. 67967



INDICATIONS

Recommended to rebalance and strengthen the intestinal microbiota and counteract abdominal discomfort, irritable bowel syndrome, and vaginal and urinary tract infection.

BASED ON

Probiotics: *Lactobacillus rhamnosus* - SD5217, *Lactobacillus reuteri* - DSM26866, *Saccharomyces boulardii* - CNCM I-3799

USE

Adults: 1-2 sachets a day, away from meals, dissolved in a glass of water (150 ml).

PROPERTIES

- **Multi-species, multi-strain probiotics** resistant to gastric pH and bile salts: **10 billion CFU/sachet**.
- Packaging designed to ensure the viability of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: vanilla flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS

REURIL PLUS®

10 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 59402



INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and counteract stress dysbiosis, bowel irregularities and skin manifestations (dermatitis).

BASED ON

- **Prebiotics:** FIBERAID™ AG - Arabinogalactan from Larch bark
- **Probiotics:** *Lactobacillus reuteri* - DSM 26866

USE

Children from 2Y: 1 single-dose bottle a day, away from meals.

Adults: 1-2 single-dose bottles a day, away from meals.

PROPERTIES

- The **sybiotic action of probiotics and prebiotics** enhances tropism for intestinal cells.
- **Mono-species, mono-strain probiotics** resistant to gastric pH and bile salts: **7 billion CFU/bottle**.
- Once dispersed in the aqueous solution, the probiotic activates through the onset of its metabolic reactions, promoting delivery, absorption, and ensuring rapid action – particularly useful in cases of diarrhea.
- Practical bottles ensure quality and stability: probiotics are kept separate from the aqueous solution to preserve viability and function, and are only reconstituted at the time of use.
- It does not need to be stored at low temperatures.
- Excellent palatability: mango flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PEDIATRICS • ALLERGOLOGY • PROBIOTICS

SONNORIL®

DROPS



20 ml

Ministry of Health code no. 139089

INDICATIONS

Recommended in case of sleep disorders, as well as an adjuvant in pain management and in preparation for neuroradiological diagnostic procedures.

BASED ON

L-Tryptophan, Vitamin B3, Magnolia d.e. 50% Magnolol, Vitamin B6, Melatonin

USE

Adults: 1 ml a day, directly in the mouth (preferably under the tongue) or diluted in a tablespoon of water or other beverage (5 ml). 13 drops corresponds to the 1-ml mark on the internal dropper.

PROPERTIES

- **Fast absorption sublingual melatonin supplement.**
- **It promotes the synthesis of physiological melatonin**, thanks to tryptophan, its precursor, and vitamins B3 and B6, which act as enzymatic cofactors.
- **Magnolia** prolongs the duration of sleep and reduces night awakenings, restoring the normal duration of non-REM phases and increasing the number of non-REM and REM phase cycles.
- Promotes a good night's sleep **without altering the state of alertness during the day**.
- Excellent palatability: peach flavour.
- Alcohol, allergen and colorant free.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY

SONNORIL®

ORAL SPRAY



15 ml

Ministry of Health code no. 99329

INDICATIONS

Recommended in case of sleep disorders, as well as an adjuvant in pain management and in preparation for neuroradiological diagnostic procedures.

BASED ON

Griffonia d.e. 20% 5-HTP, Melatonin, Jujube d.e. 2% Triterpene saponins

USE

Adults: 2 sprays (1 mg Melatonin), preferably under the tongue, in the evening just before bedtime or when needed.

PROPERTIES

- **Fast absorption and high bioavailable Melatonin**, combined with **Griffonia** and **Jujube**: they work actively to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. They reduce movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- The **sublingual administration of Melatonin** allows to quickly reach the target tissues and perform its different functions by-passing the first hepatic passage.
- **Griffonia** regulates mood and counteracts anxiety.
- **Jujube** has a myorelaxant and anxiolytic action, promoting a peaceful and restorative sleep.
- It does not alter the state of vigilance and gives a restful sleep.
- The practical bottle, with directional dispenser, facilitates sublingual intake, nebulizing the right amount of product.
- Excellent palatability: orange flavour.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY

SONNORIL®

20 TABLETS



Ministry of Health code no. 41282

INDICATIONS

Recommended in case of sleep disorders, as well as an adjuvant in pain management and in preparation for neuroradiological diagnostic procedures.

BASED ON

Valerian d.e. 0.8% Valerenic acids, Melatonin MINIACTIVES® Retard, Magnolia d.e. 2% Honokiol, Hops d.e. 0.1% Flavonoids

USE

Adults: 1 tablet in the evening, preferably just before bedtime.

PROPERTIES

- **Controlled-release and high bioavailable Melatonin**, in association with **Hops**, **Magnolia** and **Valerian**, actively work to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. It reduces movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- It contains **Melatonin MINIACTIVES® Retard** which uses **MINIACTIVES® technology to ensure a constant and gradual release of melatonin over time**. Its absorption is not affected by changes in pH, gastro-intestinal motility and the presence of food, thus promoting greater bioavailability.
- **Valerian** counteracts anxiety and promotes a restful sleep. It exerts a GABAergic activity and, therefore, an inhibitory action, similar to those of benzodiazepines, but without being addictive.
- **Hops** improve sleeping quality: it modulates GABAergic transmission, influences serotonin synthesis, which is involved in night-time sleep regulation, and controls the expression of adenosine receptors, which take an active part in managing sleep mechanisms.
- **Magnolia** reduces nocturnal awakenings and prolongs sleep duration, restores the correct duration of NREM (non-REM) phases and increases the number of cycles of NREM and REM phases, for a longer sleep duration.
- In vitro tests show the constant and gradual release of Melatonin at night.
- It does not alter the state of vigilance and gives a restful sleep.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY



SPERMACT®

45 TABLETS



Ministry of Health code no. 48820

INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies and in preparation for Medically Assisted Procreation (MAP) procedures.

BASED ON

L-Carnitine, Vitamin C, N-Acetylcysteine, Ginkgo d.e. 24% Ginkgoflavonoids, Pido-Zinc® Zinc pidolate, Coenzyme Q10, Vitamin E, Inositol, Selenium L-Methionine

USE

Adults: 1 tablet a day, preferably in the morning. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It contains a high concentration of antioxidants.
- It contains **Pido-Zinc®**, a highly bioavailable Zinc pidolate.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY

ZACHELASE®

20 SACHETS



4.78 g

Ministry of Health code no. 67966



INDICATIONS

Recommended in all cases of inflammation and/or edema of soft tissues, for the prevention of wound chronicization, and in case of radio-induced fibrosis.

BASED ON

Bromelain 2,500 GDU/g, Superoxide dismutase (SOD B Extramel®), Methylsulfonylmethane (MSM), Vitamin C

USE

Adults: 1 sachet a day, away from meals, dissolved in a glass of water (200 ml).

PROPERTIES

- It contains a **high dosage/sachet of Bromelain with high enzymatic activity (2,500 GDU/sachet; 5,000 FIP/sachet)** and a high concentration of **Methylsulfonylmethane (MSM)**: maximum anti-inflammatory and anti-edemigenous action.
- It contains a high amount of **Vitamin C** and **SOD B Extramel®**, superoxide dismutase of vegetal origin, 100% bioactive and protected from degradation, thanks to a patented microencapsulation technology: maximum antioxidant and cytoprotective efficacy.
- It exerts an important anti-fibrotic action: Bromelain and SOD B Extramel® promote the resolution of inflammation and the tissues regeneration process, as well as the regression of pre-existing fibrosis.
- **Total gastric tolerability:** ideal for prolonged therapies.
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: GENERAL SURGERY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY • SENOLOGY • ONCOLOGY • DENTISTRY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY • PNEUMOLOGY • OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • OPHTHALMOLOGY

>> NEW

ZACHELASE® JUNIOR

10 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 123749



INDICATIONS

Recommended for the treatment of all acute inflammatory and traumatic conditions in children

BASED ON

PEA (water-dispersible), Bromelain, Methylsulfonylmethane (MSM)

USE

Children: 1 or 2 bottles a day, away from meals.

PROPERTIES

- **Broad-spectrum combined action** for effective **relief of inflammation, pain and swelling**, thanks to the synergistic activity of Bromelain, Palmitoylethanolamide (PEA) and Methylsulfonylmethane (MSM).
- **High-dose bromelain with elevated enzymatic activity** (625 GDU/bottle; 1,250 FIP/bottle) from standardized extract (5,000 GDU/g). It targets edema, inflammation, and fibrosis, and is useful in **managing both acute and chronic inflammatory processes**.
- **PEA** has **analgesic activity**, including on visceral pain of gastrointestinal origin, modulating inflammatory response and supporting neuroprotection; **its safety profile is optimal even in pediatric use**.
- **MSM** is an organic compound with **antioxidant and anti-inflammatory activity**, helpful for joint support and tissue protection.
- **Total gastric tolerability:** ideal for prolonged use.
- **Pediatric doses of active ingredients** supported by clinical evidence, ensuring efficacy and safety.
- Synergistic effect useful in acute and chronic inflammation, also in combination with NSAIDs or antibiotics, enhancing their effect.
- In association with antibiotic therapy: it boosts its effectiveness.
- Practical **single-dose bottles** that ensure quality and stability.
- Excellent palatability: strawberry flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • PEDIATRIC SURGERY • PEDIATRIC DERMATOLOGY • PEDIATRIC UROLOGY • PEDIATRIC ONCOLOGY
PEDIATRIC DENTISTRY • PEDIATRIC ORTHOPEDICS • PEDIATRIC PHYSIOTHERAPY • PEDIATRIC TRAUMATOLOGY
PEDIATRIC SPORTS MEDICINE • PEDIATRIC ALLERGOLOGY • PEDIATRIC PNEUMOLOGY • PEDIATRIC • OTORHINO-LARYNGOLOGY
PEDIATRIC OPHTHALMOLOGY • NEONATOLOGY

ZACHELASE® LOX

20 TABLETS



Ministry of Health code no. 111135

INDICATIONS

Recommended in the treatment of all acute inflammatory and traumatic conditions.

BASED ON

Bromelain 2,500 GDU/g, Boswellia Phytosome® (Casperome®) d.e., Superoxide dismutase (SOD B Extramel®)

USE

Adults: 1-2 tablets a day, away from meals.

PROPERTIES

- **High-dose Bromelain** per tablet with strong enzymatic activity (2,000 GDU/tablet; 4,000 FIP/tablet): ensures maximum anti-inflammatory and anti-edema effectiveness.
- Contains **SOD B Extramel®**, 100% plant-derived, bioactive superoxide dismutase, protected from degradation through a patented microencapsulation technology: provides potent antioxidant and cytoprotective action.
- Contains **phospholipid Boswellia**: a delivery system that makes boswellic acids more bioavailable than standard dry extract. Boswellia helps reduce joint pain, functional limitations, and edema.
- **Excellent gastric tolerability:** ideal for long-term treatments.
- In combination with NSAIDs: enhances their action and reduces treatment duration.
- In combination with antibiotic therapy: improves its effectiveness.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: GENERAL SURGERY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY
PNEUMOLOGY • OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY
OPHTHALMOLOGY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY
SENOLOGY • ONCOLOGY • DENTISTRY



**Pharmaluce S.r.l.**

Strada delle Seriole, 45 - 47894 Chiesanuova (RSM) - Tel.+39 0549 911630
www.pharmaluce.com | info@pharmaluce.com